



Design Series

Ovens & Microwaves





Ovens

A new expression for your home

Changing times demand quick answers. The HX series is the reference for new design and usability. Starting with its handle that imprints character, and following with the new design of the touch control panel, a new generation to enjoy the shapes of the outside and the performance of the inside is born.



HX 790

Multifunction oven • 14 cooking functions • 17 recipes • Touch control panel • LCD display • Electronic control of the temperature • Capacity: 56 litres • Stainless steel (fingerprint proof) • Energy class: A

Multifunction turbo • Personal cooking assistant • Slow cook • Drop-down maxi grill • Meat probe • Cavity with Crystal Clean enamel • Grease filter • Full glass inner door • Triple glazed door • 3 telescopic tray guides • 3 cooking levels • Mix chamber refrigeration system • Door opening security disconnection • Children safety block • Deep tray (50 mm) and baking tray • Automatic express preheating • Cooking grid • Tray handle.



Description	Weight	m³	U./palet	U./truck	U./cont. 40"
❧ HX 790	41	0,26	12	180	162



HX 760 E

Multifunction oven • 10 cooking functions • Electronic control panel • Digital display • Capacity: 56 litres • Stainless steel (fingerprint proof) • Energy class: A

Multifunction turbo • Hob control operated by the oven • Drop-down maxi grill • Pop-up control knobs • Cavity with Crystal Clean enamel • Grease filter • Full glass inner door • Triple glazed door • Chromed tray guides • 2 telescopic tray guides • 5 cooking levels • Mix chamber refrigeration system • Express preheating • Door opening security disconnection • Children safety block • Deep tray (50 mm) and baking tray • Cooking grid • Tray handle.



Description	Weight	m³	U./palet	U./truck	U./cont. 40"
❧ HX 760 E	41	0,26	12	180	162



HX 760

Multifunction oven • 10 cooking functions • Electronic control panel • Digital display • Capacity: 56 litres • Stainless steel (fingerprint proof) • Energy class: A

Multifunction turbo • Drop-down maxi grill • Pop-up control knobs • Cavity with Crystal Clean enamel • Grease filter • Full glass inner door • Triple glazed door • Chromed tray guides • 2 telescopic tray guides • 5 cooking levels • Mix chamber refrigeration system • Express preheating • Door opening security disconnection • Children safety block • Deep tray (50 mm) and baking tray • Cooking grid • Tray handle.



Description	Weight	m³	U./palet	U./truck	U./cont. 40"
❧ HX 760	41	0,26	12	180	162

LCD display touch control panel.

Touch control has as many advantages as you might think of. Activating and deactivating functions with a single touch, modifying the cooking settings at any point of the process and making your kitchen shine with a modern look are some of them.

Pop-up control knobs.

When practicality and aesthetics agree, no words are needed. The irresistible beauty of the integrated knobs and the easiness to clean them are two good reasons to make an HX oven a partner in your kitchen.

Personal Cooking Assistant.

Teka top range models incorporate cooking recipes for meat, fishes, pastries, grating, bread and desserts. When choosing the desired recipe and introducing the weight of the food, the oven automatically calculates the time and establishes a cooking temperature up to 290°C, being the user able to modify these settings. The Personal Cooking Assistant system is the best solution for singles or inexperienced cooks.



HX 740

Multifunction oven • 8 cooking functions • Electronic control panel • Digital display • Capacity: 56 litres • Stainless steel (fingerprint proof) • Energy class: A

Maxi grill • Pop-up control knobs • Cavity with Crystal Clean enamel • Full glass inner door • Double glazed door • 5 cooking levels • Mix chamber refrigeration system • Express preheating • Children safety block • Deep tray (50 mm) and baking tray • Cooking grid.

Description	Weight	m³	U./palet	U./truck	U./cont. 40"
❖ HX 740	40	0,26	12	180	162



HX 720

Multifunction oven • 5 cooking functions • Capacity: 56 litres • Stainless steel (fingerprint proof) • Energy class: A

Pop-up control knobs • Cavity with Crystal Clean enamel • Full glass inner door • Double glazed door • 5 cooking levels • Mix chamber refrigeration system • Minute minder • Deep tray (50 mm) • Cooking grid.

Description	Weight	m³	U./palet	U./truck	U./cont. 40"
❖ HX 720	39	0,26	12	180	162



COMBO HX 45.15

Multifunction oven • Touch control panel • Digital display • Stainless steel (fingerprint proof) • Energy class: A

Upper cavity:
9 cooking functions • Capacity: 46 litres • Multifunction turbo • Drop-down maxi grill • Cavity with Crystal Clean enamel • Full glass inner door • Triple glazed door • 1 telescopic tray guide • 4 cooking levels • Express preheating • Door opening security disconnection • Children safety block • Deep tray (50 mm) • Cooking grid.

Lower cavity:
5 cooking functions (Pizza, warm stone, toast, barbecue and defrost) • Capacity: 29 litres • Maxi grill • Drop-down top and bottom grill • Double glazed door • Stainless steel cavity • Telescopic door guide • 1 cooking level • Pizza stone • Door opening security disconnection • Optional set: warm stone, tray stone and tray handle.

Description	Weight	m³	U./palet	U./truck	U./cont. 40"
❖ COMBO HX 45.15	50	0,26	12	180	162

Combo HX 45.15 special functions.

With the Teka Combo HX 45.15, new functions are at your disposal to make your life easier.

The lower cavity is ready to prepare pizzas with a specifical function that spreads the heat evenly through the cavity, and a special pizza stone to cook the dough perfectly.

The triple grill combines an extra size grill in the upper part with a grill of the small cavity. This is ideal for barbecues and similar cooking. The sandwich function is designed to make sandwiches and toasts in just three minutes on both sides, without flipping them over.

Finally, stone cooking is available at home. The new stone function heats up the stone to allow stone cooking and keeps the food warm for about 20 minutes.





HKX 790

Multifunction compact oven • 14 cooking functions • 17 recipes • Touch control panel • LCD display • Capacity: 46 litres • Stainless steel (fingerprint proof) • Energy class: A

Multifunction turbo • Personal cooking assistant • Slow cook • Drop-down maxi grill • Meat probe • Cavity with Crystal Clean enamel • Full glass inner door • Triple glazed door • 1 telescopic tray guide • 4 cooking levels • Cooling fan • Express preheating • Door opening security disconnection • Children safety block • Deep tray (50 mm) • Cooking grid • Tray handle • Optional: plate warmer for 60 cm installation niche.



Description	Weight	m³	U./palet	U./truck	U./cont. 40"
❖ HKX 790	35	0,021	8	252	171



HKX 740

Multifunction compact oven • 8 cooking functions • Electronic control panel • Digital display • Capacity: 46 litres • Stainless steel (fingerprintproof) • Energy class: A

Multifunction • Drop-down maxi grill • Cavity with Crystal Clean enamel • Full glass inner door • Double glazed door • 1 telescopic tray guide • 4 cooking levels • Cooling fan • Express preheating • Children safety block • Deep tray (50 mm) • Cooking grid • Optional: plate warmer for 60 cm installation niche.



Description	Weight	m³	U./palet	U./truck	U./cont. 40"
❖ HKX 740	32	0,021	8	252	171



HKX 960 S

Steam oven • 2 cooking functions (steam and regeneration) • Touch control panel • LCD display • Capacity: 35 litres • Stainless steel (fingerprint proof)

Temperature range: 40°-100°C • 4 cooking levels • 4 direct access menus (vegetables, fish, meat and side dishes) • Defrost function • External steam generator • 1,2 litres water tank under control panel • Forced ventilation • Double glass door • Inox tray supports • Indicators for: automatic limescale and lack of water • Door opening security disconnection • Children safety block • 2 rectangular stainless steel trays (20 and 40 mm depth) • Optional: plate warmer for 60 cm installation niche.



Description	Weight	m³	U./palet	U./truck	U./cont. 40"
❖ HKX 960 S	38,2	0,021	8	240	272



Trend setter handle.

In Teka we know that every detail counts and the new handle for the HX ovens is an evidence. The personality and character of the new HX series is perfectly reflected in the robust and top performance handle.



Fingerprint-proof.

Compact ovens have the same fingerprint-proof finish as other stainless steel models in the Teka home appliances range. This opaque sheen provides an unmistakable touch of elegance to the product and protects the stainless steel by increasing its resistance to dirt as well as preventing grease particles from accumulating on the surface.



Compact microwaves

More free space, more features

Teka compact microwaves together with the warming drawers offer an endless array of possibilities that adapt to any kitchen size and cooking preferences. From the efficiency of the combi, who brings to life the power of a microwave in conjunction with the cooking ability of the oven, to the useful warming drawers, any choice is a wise decision.



MCX 45 BIT

Compact combi microwave • 6 cooking functions • Touch control panel • LCD display • Full built-in concept • Grill power (1,500 W) • Stainless steel (fingerprint proof).

Multifunction turbo • Capacity (gross/net): 38/32 litres • Drop-down door • Drop-down grill • 6 microwave power levels (1,000 W) • 3 auto cook functions • Forced ventilation • Automatic defrost by time and weight • 320 mm integrated rotary turntable • Stainless steel inner cavity • Turntable stop function • Triple glass door • 4 cooking heights • Children safety block • 1 rectangular grid • 1 glass tray • Browning plate • Optional: plate warmer for 60 cm installation niche.



Description	Weight	m³	U./palet	U./truck	U./cont. 40"
MCX 45 BIT	38,2	0,24	8	240	216



MWX 45 BIS

Compact microwave • 3 cooking functions • Electronic control panel • Digital display • Full built-in concept • Grill power (1,500 W) • Stainless steel (fingerprint proof).

Capacity (gross/net): 38/32 litres • Drop-down door • Drop-down grill • 5 microwave power levels (1,000 W) • Pop-up control knobs • Forced ventilation • Automatic defrost by time • 320 mm integrated rotary turntable • Stainless steel inner cavity • Double glass door • Children safety block • 2 cooking heights • 2 round grids • Browning plate • Optional: plate warmer for 60 cm installation niche.



Description	Weight	m³	U./palet	U./truck	U./cont. 40"
MWX 45 BIS	38,2	0,24	8	240	216

Teka control panels: ultimate user-friendliness.

Teka control panels are the latest trend in user-friendliness. They include easy-to-use electromechanical, electronic or digital controls, and an attractively designed touch control panel. This combination of technical and design qualities give the Teka microwave a distinctive look, and it is bound to be a stylish addition to your kitchen.



The Teka microwave can be programmed to avoid being used by children or the elderly. To lock or unlock the child safety lock, the 'start-stop' button should be pressed for three seconds.



Some models have three cooking memory settings. Settings for pizza, chicken or heating drinks can be applied to other food types as well, and if cooking time memories are used, the same food types can be cooked on different occasions with identical results.



CPX 15

15 cm plate warmer • 10 cm useful height • Six standard servings • Telescopic drawer • Temperature range 30°-80°C • Antisliding mat • Illuminated switch on/off button • For installation of 45 cm ovens in 60 cm height niches (traditional niches).

Description	Weight	m³	U./palet	U./truck	U./cont. 40"
CPX 15	23	0,108	12	660	486



Classic Series

Ovens & Microwaves





Ovens

The reliability and design of the classics

Becoming a reference is never easy. However, excellent performance in all conditions has risen the HA ovens to a privileged position in terms of reliability and toughness. That is why they have been chosen to be the centerpiece of kitchens worldwide making Teka proud of this confidence.

**HA 890**

Multifunction oven • 9 cooking functions • Electronic control of the temperature • Touch control panel • Digital display • Capacity: 56 litres • Stainless steel (fingerprint proof) • Energy class: A

Multifunction turbo • Drop-down maxi grill • Pop-up control knobs • Meat probe • Cavity with Crystal Clean enamel • Grease filter • Full glass inner door • Triple glazed door • 3 telescopic tray guides • 3 cooking levels • Mix chamber refrigeration system • Express preheating • Door opening security disconnection • Children safety block • Deep tray (50 mm) and baking tray • Cooking grid • Tray handle.

Description	Weight	m³	U/palet	U/truck	U/cont. 40"
HA 890	41	0,26	12	180	162

**HA 870**

Multifunction oven • 11 cooking functions • Electronic control of the temperature • Touch control panel • Digital display • Capacity: 56 litres • Stainless steel (fingerprint proof) • Energy class: A

Multifunction turbo • Slow food function • Drop-down maxi grill • Meat probe • Cavity with Crystal Clean enamel • Grease filter • Full glass inner door • Triple glazed door • 2 telescopic tray guides • 5 cooking levels • Mix chamber refrigeration system • Automatic express preheating • Door opening security disconnection • Children safety block • Deep tray (50 mm) and baking tray • Cooking grid.

Description	Weight	m³	U/palet	U/truck	U/cont. 40"
HA 870	39,5	0,26	12	180	162

**HA 860**

Multifunction oven • 2 cooking functions • 13 recipes • 1 cooking memory • Personal cooking assistant • Electronic control of the temperature • Digital display with start/stop programmer • Capacity: 56 litres • Stainless steel (fingerprint proof) • Energy class: A

Multifunction turbo • Drop-down maxi grill • Pop-up control knobs • Cavity with Crystal Clean enamel • Grease filter • Full glass inner door • Double glazed door • 1 telescopic tray guide • 5 cooking levels • Mix chamber refrigeration system • Express preheating • Door opening security disconnection • Deep tray (50 mm) and baking tray • Cooking grid • Tray handle.

Description	Weight	m³	U/palet	U/truck	U/cont. 40"
HA 860	38	0,26	12	180	162

The recognized value of the Classic series.

In today's fast paced world only a few reach a position where they can call themselves Classics. The Teka Classic series is one of these few who serve as a standard of excellence with recognized performance.

Ovens have their own personality. When times pass we can see through their physical features and envision the values they contain. Every product of the series is characterized by three main features; the U shaped stainless steel front, the control panel design and the handle.

The U shaped stainless steel front provide a strength, solid look to the oven reflecting on the outside what resides on the core of the oven; an extremely powerful mechanism ready for high performance. In addition to this stainless steel front, the handle incorporates an aesthetic presence that brings along calmness and robustness. And what is it more important; the ergonomics we need to enjoy a pleasant experience while interacting with the oven.

The final touch is the black sleek control panel that combined with the touch control, popup and family look buttons give the Classic series a distinctive and even look.



HA 850

Multifunction oven • 9 cooking functions • Touch control panel • Digital display • Capacity: 56 litres • Stainless steel (fingerprint proof) • Energy class: A

Multifunction turbo • Drop-down maxi grill • Pop-up control knobs • Cavity with Crystal Clean enamel • Grease filter • Full glass inner door • Triple glazed door • Chromed tray guides • 3 telescopic guides • 3 cooking levels • Mix chamber refrigeration system • Door opening security disconnection • Children safety block • Deep tray (50 mm) and baking tray • Cooking grid • Tray handle.



Description	Weight	m³	U/palet	U/truck	U/cont. 40"
HA 850	41	0,26	12	180	162



HA 855

Multifunction oven • 9 cooking functions • Touch control panel • Digital display • Capacity: 56 litres • Stainless steel (fingerprint proof) • Energy class: A

Multifunction turbo • Drop-down maxi grill • Pop-up control knobs • Cavity with Crystal Clean enamel • Grease filter • Full glass inner door • Double glazed door • Chromed tray guides • 2 telescopic guides • 5 cooking levels • Mix chamber refrigeration system • Express preheating • Deep tray (50 mm) and baking tray • Cooking grid.



Description	Weight	m³	U/palet	U/truck	U/cont. 40"
HA 855	37	0,26	12	180	162



HA 845

Multifunction oven • 9 cooking functions • Digital display • Capacity: 56 litres • Stainless steel (fingerprint proof) • Energy class: A

Multifunction turbo • Drop-down maxi grill • Cavity with Crystal Clean enamel • Full glass inner door • Double glazed door • Chromed tray guides • 5 cooking levels • Mix chamber refrigeration system • Express preheating • Children safety block • Deep tray (50 mm) and baking tray • Cooking grid • Optional: 2 telescopic tray guides.



Description	Weight	m³	U/palet	U/truck	U/cont. 40"
HA 845	37	0,26	12	180	162



HA 845 E

Multifunction oven • 9 cooking functions • Digital display • Capacity: 56 litres • Stainless steel (fingerprint proof) • Energy class: A

Multifunction turbo • Hob control operated by the oven • Drop-down maxi grill • Cavity with Crystal Clean enamel • Full glass inner door • Double glazed door • Chromed tray guides • 5 cooking levels • Mix chamber refrigeration system • Express preheating • Children safety block • Deep tray (50 mm) and baking tray • Cooking grid • Optional: 2 telescopic tray guides.



Description	Weight	m³	U/palet	U/truck	U/cont. 40"
HA 845 E	37	0,26	12	180	162

**HA 840**

Multifunction oven • 7 cooking functions • Digital display • Capacity: 56 litres • Stainless steel (fingerprint proof) • Energy class: A

Maxi grill • Pop-up control knobs • Cavity with Crystal Clean enamel • Full glass inner door • Double glazed door • Chromed tray guides • 5 cooking levels • Mix chamber refrigeration system • Express preheating • Children safety block • Deep tray (50 mm) and baking tray • Cooking grid • Optional: 2 telescopic tray guides.



Description	Weight	m³	U/palet	U/truck	U/cont. 40"
HA 840	36	0,26	12	180	162

**HA 835**

Multifunction oven • 7 cooking functions • Digital display • Capacity: 56 litres • Stainless steel (fingerprint proof) • Energy class: A

Teka family look control knobs • Cavity with Crystal Clean enamel • Full glass inner door • Double glazed door • Chromed tray guides • 5 cooking levels • Mix chamber refrigeration system • Deep tray (50 mm) • Cooking grid • Optional: 2 telescopic tray guides.



Description	Weight	m³	U/palet	U/truck	U/cont. 40"
HA 835	36	0,26	12	180	162

**HA 835 E**

Multifunction oven • 7 cooking functions • Digital display • Capacity: 56 litres • Stainless steel (fingerprint proof) • Energy class: A

Teka family look control knobs • Hob control operated by the oven • Cavity with Crystal Clean enamel • Full glass inner door • Double glazed door • Chromed tray guides • 5 cooking levels • Mix chamber refrigeration system • Deep tray (50 mm) • Cooking grid • Optional: 2 telescopic tray guides.



Description	Weight	m³	U/palet	U/truck	U/cont. 40"
HA 835 E	36	0,26	12	180	162

Maxi-Grill: power for the final grilling.

A large and powerful 2600W maxi-grill will brown all surfaces of food in the tray while maintaining user safety. Alternatively, a useful fast heating function will increase power by 1450W before cooking starts, as well as reducing pre-heating time by 60%.

**Cooking memories.**

Cooking memories are the perfect solution to give recipes a personal touch. Once the user is satisfied with a recipe that contains personal cooking settings, it can be stored to repeat the same cooking settings over and over again and getting that special flavour.

**Don't waste your time: express preheating function.**

The express preheating function reduces the preheating time of the oven when it is cold (higher electrical consumption stage). The HA 840 oven reaches 175°C in 5 minutes and 4 seconds (fan traditional cooking) and the HA 845 and HA 890 (with turbo function), in 3 minutes and 55 seconds.



HA 830

Multifunction oven • 5 cooking functions • Digital display • Capacity: 56 litres • Stainless steel (fingerprint proof) • Energy class: A

Teka family look control knobs • Cavity with Crystal Clean enamel • Full glass inner door • Double glazed door • Chromed tray guides • 5 cooking levels • Mix chamber refrigeration system • Deep tray (50 mm) • Cooking grid • Optional: 1 telescopic tray guide.



Description	Weight	m³	U/palet	U/truck	U/cont. 40"
HA 830	36	0,26	12	180	162



HA 830 E

Multifunction oven • 5 cooking functions • Digital display • Capacity: 56 litres • Stainless steel (fingerprint proof) • Energy class: A

Hob control operated by the oven • Teka family look control knobs • Cavity with Crystal Clean enamel • Full glass inner door • Double glazed door • Chromed tray guides • 5 cooking levels • Mix chamber refrigeration system • Deep tray (50 mm) • Cooking grid • Optional: 1 telescopic tray guide.



Description	Weight	m³	U/palet	U/truck	U/cont. 40"
HA 830 E	36	0,26	12	180	162



HA 825

Multifunction oven • 7 cooking functions • Capacity: 56 litres • Stainless steel (fingerprint proof) • Energy class: A

Maxi grill • Teka family look control knobs • Cavity with Crystal Clean enamel • Full glass inner door • Double glazed door • Chromed tray guides • 5 cooking levels • Mix chamber refrigeration system • Deep tray (50 mm) • Cooking grid.



Description	Weight	m³	U/palet	U/truck	U/cont. 40"
HA 825	36	0,26	12	180	162



HA 825 E

Multifunction oven • 7 cooking functions • Capacity: 56 litres • Stainless steel (fingerprint proof) • Energy class: A

Maxi grill • Teka family look control knobs • Hob control operated by the oven • Cavity with Crystal Clean enamel • Full glass inner door • Double glazed door • Chromed tray guides • 5 cooking levels • Mix chamber refrigeration system • Deep tray (50 mm) • Cooking grid.



Description	Weight	m³	U/palet	U/truck	U/cont. 40"
HA 825 E	36	0,26	12	180	162



HA 823

Multifunction oven • 5 cooking functions • Capacity: 56 litres
• Stainless steel (fingerprint proof) • Energy class: A

Teka family look control knobs • Cavity with Crystal Clean enamel • Full glass inner door • Double glazed door • Chromed tray guides • 5 cooking levels • Mix chamber refrigeration system • Minute minder • Deep tray (50 mm) • Cooking grid.



HA 820

Multifunction oven • 5 cooking functions • Capacity: 56 litres
• Stainless steel (fingerprint proof) • Energy class: A

Teka family look control knobs • Cavity with Crystal Clean enamel • Full glass inner door • Double glazed door • Chromed tray guides • 5 cooking levels • Mix chamber refrigeration system • Deep tray (50 mm) • Cooking grid.

      					
Description	Weight	m³	U/palet	U/truck	U/cont. 40"
HA 823	36	0,26	12	180	162

      					
Description	Weight	m³	U/palet	U/truck	U/cont. 40"
HA 820	36	0,26	12	180	162



HA 820 E

Multifunction oven • 5 cooking functions • Capacity: 56 litres
• Stainless steel (fingerprint proof) • Energy class: A

Teka family look control knobs • Hob control operated by the oven • Cavity with Crystal Clean enamel • Full glass inner door • Double glazed door • Chromed tray guides • 5 cooking levels • Mix chamber refrigeration system • Deep tray (50 mm) • Cooking grid.

      					
Description	Weight	m³	U/palet	U/truck	U/cont. 40"
HA 820 E	37	0,26	12	180	162

Crystal Clean enamelling: easy inside cleaning.

For much easier cleaning, Teka coats the trays and cavities of the ovens with a special enamelling process called Crystal Clean. This has superb resistance and hardness and provides a shiny, non-porous surface where food cannot stick to. Ovens and trays can simply be cleaned with a warm, damp cloth and will stay in top conditions with minimum care.

Versatility in controlling the cooking process.

Some of the Teka's top ovens incorporate pop-up control knobs to improve their looks and functionality, as well as to make cleaning easier. They are also less likely to get dirty or to be altered inadvertently.

An extremely versatile touch control has numerous features: automatic adjustable temperature and time setting, illuminated cooking function selected, residual heat indicator, minute minder, child safety lock, cooking time and end of cooking time, electronic control of temperature, express preheating function, memory function, automatic cooking programmes, automatic security disconnection in case of oblivion, and preheating of the oven.



HP 740

Multifunction oven • Pyrolytic oven • 9 cooking functions • Digital display • Capacity: 59 litres • Stainless steel (fingerprint proof) • Energy class: A

Multifunction turbo • Maxi grill • Pop-up control knobs • 3 cooking levels • Triple glazed door • Catalizator with heating element • Express preheating • Children safety block • Baking tray • 2 cooking grids.



Description	Weight	m³	U./palet	U./truck	U./cont. 40"
❖ HP 740	45	0,29	12	160	162



HP 730

Multifunction oven • Pyrolytic oven • 9 cooking functions • Digital electronic timer with start and stop programmer • Capacity: 59 litres • Stainless steel (fingerprint proof) • Energy class: A

Multifunction turbo • Maxi grill • Teka family look control knobs • 3 cooking levels • Triple glazed door • Catalizator with heating element • Heating indicator light • Baking tray • Cooking grid.



Description	Weight	m³	U./palet	U./truck	U./cont. 40"
❖ HP 730	45	0,29	12	160	162



COMBO HA 45.15

Multifunction oven • Touch control panel • Digital display • Stainless steel (fingerprint proof) • Energy class: A

Upper cavity:
7 cooking functions • Capacity: 46 litres • Maxi grill • Cavity with Crystal Clean enamel • Full glass inner door • Double glazed door • 1 telescopic tray guide • 4 cooking levels • Deep tray (50 mm) • Cooking grid • Optional set: warm stone, tray stone and tray handle.

Lower cavity:
3 cooking functions • Capacity: 29 litres • Drop-down top and bottom maxi grill • Double glazed door • Stainless steel cavity • Telescopic door guide • 1 cooking level • Pizza stone • Door opening security disconnection • Deep tray (50 mm) • Optional set: warm stone, tray stone and tray handle.



Description	Weight	m³	U./palet	U./truck	U./cont. 40"
❖ COMBO HA 45.15	36	0,26	12	180	162

Combo HA 45.15: Two cavities, a thousand possibilities.

With the new Combo HA 45.15 you can cook different meals at the same time, thanks to the two cavities of 45cm and 15cm height. This way, in a conventional niche space you can prepare a roast for your guests and a pizza for the kids at the same time.



Pyroclean: Self-cleaning ovens.

For those who hate cleaning ovens, there is another solution; the Teka "Pyroclean" system, which heats the oven up to 500°C and literally burns away all residues from baking, roasting or grilling, leaving just a fine ash to be removed.



HA 935

Multifunction oven • 9 cooking functions • Digital display • Capacity: 88 litres • Stainless steel • Energy class: B

Multifunction turbo • Drop-down maxi grill • Pop-up control knobs • Cavity with Crystal Clean enamel • 3 telescopic tray guides • 3 cooking levels • Full extraction bottom telescopic tray guide • Triple glazed door • Double lateral lighting • Door opening security disconnection • Extra large surface tray (1867 cm²) • Deep tray (50 mm) • Cooking grid.

Description	Weight	m ³	U./palet	U./truck	U./cont. 40"
HA 935	60	0,37	4	120	108



HA 900

Multifunction oven • 7 cooking functions • Cooking timer with stop programmer • Capacity: 88 litres • Stainless steel • Energy class: B

Teka family look control knobs • Drop-down maxi grill • Chromed tray guides • Cavity with Crystal Clean enamel • 7 cooking levels • Triple glazed door • Double lateral lighting • Extra large surface tray (1867 cm²) • Deep tray (50 mm) • Cooking grid.

Description	Weight	m ³	U./palet	U./truck	U./cont. 40"
HA 900	60	0,37	4	120	108



FG 924

Gas oven • 3 cooking functions • Minute minder • Capacity: 105 litres • Stainless steel (fingerprint proof).

Teka family look control knobs • Automatic gas oven ignition • Electric grill • Safety device (thermocouple) • Cavity with Crystal Clean enamel • 7 cooking levels • Double glazed door • Turnspit • Chromed tray guides • Extra large surface tray • Inner light • Deep tray (50 mm) • Cooking grid.

Description	Weight	m ³	U./palet	U./truck	U./cont. 40"
FG 924	52	0,41	-	138	120



Fingerprint-proof.

Microwaves have the same fingerprint-proof finish as other stainless steel models in the Teka home appliances range. This opaque sheen provides an unmistakable touch of elegance to the product and protects the stainless steel by increasing its resistance to dirt as well as preventing grease particles from accumulating on the surface.

Teka's know-how at your disposal.

The Teka oven range combines award-winning looks with a versatile range of styles, all with the utmost attention to detail. Elegant dark glass panels for touch control models, embossed doors in fingerprint-proof stainless steel, integrated handles and knobs, enamelled front panels with integrated handles or glass fronted panels with bow handles.

Every product is meticulously designed for maximum functionality and perfect ergonomics. Teka is a master of materials, from coloured oven finishes to stainless steel, in which Teka is a standard setter in the kitchen industry.



DHA 888

Built-in double oven • Digital display • Stainless steel (fingerprint proof) • Teka family look control knobs • Cavity with Crystal Clean enamel • Cooling fan • Chromed tray guides • Full glass inner door • Double glazed door • 2 deep trays (50 mm) • 3 cooking grids • 1 tray handle.

Top cavity: Conventional oven • Maxi grill • 4 cooking functions • Capacity: 35 litres • 3 cooking levels.

Main cavity: Multifunction oven • Multifunction turbo • Maxi grill • 4 cooking functions • Capacity: 56 litres • 5 cooking levels.



DHA 718

Built-under double oven • Digital display • Stainless steel (fingerprint proof) • Teka family look control knobs • Cavity with Crystal Clean enamel • Cooling fan • Chromed tray guides • Full glass inner door • Double glazed door • Deep tray (50 mm) • Cooking grids • Tray handle.

Top cavity: Conventional oven • Maxi grill • 4 cooking functions • Capacity: 35 litres • 3 cooking levels.

Main cavity: Multifunction oven • Multifunction turbo • Capacity: 46 litres • 5 cooking levels.



Gourmet specials.

The double ovens offer two independent cavities to cook several dishes with their own temperature and settings.

On the other hand, for more demanding chefs, Teka has introduced two new versions of its 900 mm wide multi-function stainless steel oven with a massive 88 litre capacity, ideal for big roasts or cooking several dishes at the same time. These ovens also offer a large 1867 cm² baking tray, with seven different cooking levels, that can be adjusted to vary the distance between shelves to allow a better heat distribution around the oven.



Teka family look.

The control knobs of Teka ovens are immediately recognisable thanks to the patented design, a family which is repeated in all new Teka products.

At the same time the function symbols on control panels have been reworked to make icons clearer.





HK 800

Multifunction compact oven • 9 cooking functions • Touch control panel • Digital display • Electronic control of the temperature • Capacity: 46 litres • Stainless steel (fingerprint proof) • Energy class: A

Multifunction turbo • Drop-down maxi grill • Cavity with Crystal Clean enamel • Full glass inner door • Triple glazed door • Chromed tray guides • 1 telescopic tray guide • 4 cooking levels • Door opening security disconnection • Children safety block • Deep tray (50 mm) and baking tray • Cooking grid • Optional: plate warmer for 60 cm installation niche.

Description	Weight	m³	U/palet	U/truck	U/cont. 40"
HK 800	36	0,021	8	252	171



HK 750

Multifunction compact oven • 9 cooking functions • Digital display • Capacity: 46 litres • Stainless steel (fingerprint proof) • Energy class: A

Multifunction turbo • Drop-down maxi grill • Teka family look control knobs • Cavity with Crystal Clean enamel • Full glass inner door • Triple glazed door • Chromed tray guides • 1 telescopic tray guide • 4 cooking levels • Express preheating • Door opening security disconnection • Children safety block • Deep tray (50 mm) • Cooking grid • Optional: plate warmer for 60 cm installation niche.

Description	Weight	m³	U/palet	U/truck	U/cont. 40"
HK 750	33	0,021	8	252	171



HK 700

Multifunction compact oven • 7 cooking functions • Digital display • Capacity: 46 litres • Stainless steel (fingerprint proof) • Energy class: A

Maxi grill • Teka family look control knobs • Cavity with Crystal Clean enamel • Full glass inner door • Double glazed door • Chromed tray guides • 1 telescopic tray guide • 4 cooking levels • Deep tray (50 mm) • Cooking grid • Optional: plate warmer for 60 cm installation niche.

Description	Weight	m³	U/palet	U/truck	U/cont. 40"
HK 700	33	0,021	8	252	171



HK 500

Compact oven • 3 cooking functions • Minute minder • Capacity: 46 litres • Stainless steel (fingerprint proof) • Energy class: A

Teka family look control knobs • Cavity with Crystal Clean enamel • Full glass inner door • Chromed tray guides • Double glazed door • 4 cooking levels • Deep tray (50 mm) • Cooking grid • Optional: plate warmer for 60 cm installation niche.

Description	Weight	m³	U/palet	U/truck	U/cont. 40"
HK 500	32	0,021	8	252	171



HK 760 P

Multifunction compact oven • Pyrolitic oven • 7 cooking functions • Digital display • Stainless steel (fingerprint proof) • Energy class: A

Multifunction turbo • Maxi grill • Teka family look control knobs • Four layers glazed door • 1 telescopic tray guide • 3 cooking levels • Door opening security disconnection • Children safety block • Baking tray • Cooking grid.

Description	Weight	m³	U./palet	U./truck	U./cont. 40"				
HK 760 P	30	0,22	8	252	171				



HK 930 S

Steam oven • 1 cooking function (steam) • Digital display • Capacity: 35 litres • Stainless steel (fingerprint proof)

Temperature range: 40°-80°-100°C • External steam generator • 4 cooking levels • Defrost function • 1,2 litres water tank • Forced ventilation • Indicators for: automatic limescale and lack of water • Double glass door • Inox tray supports • Door opening security disconnection • Children safety block • 2 rectangular stainless steel trays (20 and 40 mm depth).

Description	Weight	m³	U./palet	U./truck	U./cont. 40"				
HK 930 S	38,2	0,021	8	240	272				

Keeping all the vitamins and nutrients.

Conventional cooking can waste up to 45% of the nourishing power of the food. Thanks to the Teka steam ovens the loss of vitamins and other nutritive substances is practically eliminated. Maintaining the vitamins and nutrients is a crucial issue to provide the organism with proper nutrients quantities at any time of the day.

Taste, colour and texture also benefit from the steam cooking. The pleasure of cooking is perfectly joined with the pleasure of enjoying a meal as you never thought before.

Health and flavour are essential in today's cuisine but there are other issues as precious as those, for example, time. Steam cooking does not consume more time than traditional cooking, providing better results in eliminating fat from food and avoiding food burning.



Compact ovens: Enjoy your extra space.

The fingerprint proof stainless steel Teka compact range is established as one of the widest ranges of the market and multiplies the installation options. In column or in paralell, the array of possibilities is almost endless. The Teka compact ovens includes the adavantages of the 60 cm height ovens in just 45 cm, being the ideal centerpiece for the moder kitchen due to sleek design that integrates perfectly in the genera house ambient. All these advantages are reinforced in the modern kitchen planning where reduced spaces demands compact home appliances.



Microwaves

The versatility of the compact family

It is widely recognized that size is always an issue when choosing home appliances. Technology evolution, home space reduction and logical thinking have come together to open the door to appliances that with a less physical presence are able to develop the same tasks as the conventional ones. Combi microwaves, compact ovens and even a coffee machine are some of the Teka proposals for the new lifestyle.

**MC 32 BIS**

Compact combi microwave • 6 cooking functions • Electronic control panel • Full built-in concept • Grill power (1,500 W) • Stainless steel (fingerprint proof).

Multifunction turbo • Capacity (gross/net): 38/32 litres • 6 microwave power levels (1,000 W) • Drop-down grill • 3 auto cook functions • Automatic defrost by time and weight • Forced ventilation • 320 mm integrated rotary turntable • Stainless steel inner cavity • Triple glass door • 4 cooking heights • Children safety block • 1 rectangular glass tray • 1 rectangular rack • Browning plate • Optional: plate warmer for 60 cm installation niche.



Description	Weight	m³	U/palet	U/truck	U/cont. 40"
MC 32 BIS	38,2	0,24	8	240	216

**MC 32 BIH**

Compact combi microwave • 6 cooking functions • Semi-electronic control panel • Full built-in concept • Grill power (1,500 W) • Stainless steel (fingerprint proof).

Multifunction turbo • Capacity (gross/net): 38/32 litres • 5 microwave power levels (1,000 W) • Drop-down grill • Teka family look control knobs • Automatic defrost by time and weight • Forced ventilation • 320 mm integrated rotary turntable • Stainless steel inner cavity • Triple glass door • 4 cooking heights • Children safety block • 1 glass tray • 1 rectangular rack • Browning plate • Optional: plate warmer for 60 cm installation niche.



Description	Weight	m³	U/palet	U/truck	U/cont. 40"
MC 32 BIH	38,2	0,24	8	240	216

**MW 32 BIT**

Compact microwave • 3 cooking functions • Digital display • Full built-in concept • Grill power (1,500 W) • Stainless steel (fingerprint proof).

Capacity (gross/net): 38/32 litres • 6 microwave power levels (1,000 W) • Drop-down grill • 3 auto cook functions • Automatic defrost by time and weight • Forced ventilation • 320 mm integrated rotary turntable • Stainless steel inner cavity • Double glass door • 2 cooking heights • Children safety block • 2 round grids • Browning plate • Optional: plate warmer for 60 cm installation niche.



Description	Weight	m³	U/palet	U/truck	U/cont. 40"
MW 32 BIT	35	0,22	8	240	240

**MW 32 BIS**

Compact microwave • 3 cooking functions • Electronic control panel • Full built-in concept • Grill power (1,500 W) • Stainless steel (fingerprint proof).

Capacity (gross/net): 38/32 litres • 6 microwave power levels (1,000 W) • Drop-down grill • 3 auto cook functions • Automatic defrost by time and weight • Forced ventilation • 320 mm integrated rotary turntable • Stainless steel inner cavity • Double glass door • 2 cooking heights • Children safety block • 2 round grids • Browning plate • Optional: plate warmer for 60 cm installation niche.




Description	Weight	m³	U/palet	U/truck	U/cont. 40"
MW 32 BIS	35	0,22	8	240	240



TMW 22 BIT

Built-in concept • Digital touch control panel • Quartz grill power (1,000 W) • Stainless steel (fingerprint proof).

Capacity: 20 litres • 5 microwave power levels (800 W) • 3 auto cook functions • Forced air ventilation • Digital timer, maximum 90 minutes • 1 minute quick start • Pop-up knob • Automatic defrost by time and weight • Integrated rotary turntable • Stainless steel inner cavity • Children safety block • Built-in frame included.




Description	Weight	m³	U/palet	U/truck	U/cont. 40"
❖ TMW 22 BIT	20,5	0,12	20	460	440



TMW 20.2 BIT

Built-in concept • Electronic control panel • Quartz grill power (1,000 W) • Stainless steel (fingerprint proof).

Capacity: 18 litres • 5 microwave power levels (800 W) • 3 auto cook functions • Forced air ventilation • Digital timer, maximum 90 minutes • 1 minute quick start • Automatic defrost by time and weight • Integrated rotary turntable • Stainless steel inner cavity • Children safety block • Built-in frame included.




Description	Weight	m³	U/palet	U/truck	U/cont. 40"
❖ TMW 20.2 BIS	20,5	0,12	20	460	440



TMW 20.2 BIT

Built-in concept • Digital touch control panel • Quartz grill power (1,000 W) • Stainless steel (fingerprint proof).

Capacity: 18 litres • 5 microwave power levels (800 W) • 3 auto cook functions • Forced air ventilation • Digital timer, maximum 90 minutes • 1 minute quick start • Automatic defrost by time and weight • Integrated rotary turntable • Stainless steel inner cavity • Children safety block • Built-in frame included.




Description	Weight	m³	U/palet	U/truck	U/cont. 40"
❖ TMW 20.2 BIT	20,5	0,12	20	460	450



CM 45 Inox

Coffee machine • Semi electronic control panel • 30 programmes • Capacity: 2 cups • Stainless steel (fingerprint proof).

Adjustable coffee outlet • Retractable pipe for: frothing milk, steam, hot water • 13 positions internal grinder • 200 gr coffee beans box • Preground coffee deposit • 1,8 litres water tank • Self cleaning function • Automatic descaling function • Regulator for: coffee quantity, intensity, temperature.



Description	Weight	m³	U/palet	U/truck	U/cont. 40"
❖ CM 45 Inox	27,6	-	8	372	328



LD 455 Stainless Steel

Lift door • Design series family look • Stainless steel front • Automatic vertical opening system • Gas resorts • Easy installation • Niche dimensions (W x H): 560x 450 mm

Description	Weight	m³	U/palet	U/truck	U/cont. 40"
LD 455 S.steel	7,1	0,108	10	320	504



LD 455 Reflex

Lift door • Glass looking front • Free standing microwave cover door • Automatic vertical opening system • Gas resorts • Classic series family look • Easy installation • Niche dimensions (W x H): 560 x 450 mm


Description	Weight	m³	U/palet	U/truck	U/cont. 40"
LD 455 Reflex	7,1	0,108	10	320	504



CP 15

15 cm plate warmer • 10 cm useful height • Six servings • Telescopic drawer • Temperature range 30°-80°C • Antisliding mat • Illuminated switch on/off button • For installation with 45 cm ovens in 60 cm height niches (traditional niches).

Description	Weight	m³	U./palet	U./truck	U./cont. 40"
CP 15	23	0,108	12	660	486



CP 21

21 cm plater warmer • 17 cm useful height • Eight servings • Telescopic drawer • Temperature range 30°-80°C • Antisliding mat • Illuminated switch on/off button • For installation with 18/20 litre microwaves in 60 cm height niches (traditional niches).

Description	Weight	m³	U./palet	U./truck	U./cont. 40"
CP 21	26,4	0,13	10	540	378



CP 29

29 cm plate warmer • 25 cm useful height • Twelve servings • Telescopic drawer • Temperature range 30°-80°C • Antisliding mat • Illuminated switch on/off button • For single installation or with 60 cm ovens in 88 cm height niches (double oven niche).

Description	Weight	m³	U./palet	U./truck	U./cont. 40"
CP 29	29,6	0,164	8	420	324



Universo Series

Ovens & Microwaves






HE 735

Multifunction oven • 9 cooking functions • Digital display • Capacity: 56 litres • Stainless steel (fingerprint proof) • Energy class: A

Multifunction turbo • Drop-down maxi grill • Polished pop-up control knobs • Cavity with Crystal Clean enamel • Double glazed door • 1 telescopic tray guide • 5 cooking levels • Chromed tray guides • Mix chamber refrigeration system • Deep tray (50 mm) and baking tray • Cooking grid.

					
Description	Weight	m³	U/palet	U/truck	U/cont. 40"
❖ HE 735	37	0,26	12	180	162



HE 735 E

Multifunction oven • 9 cooking functions • Digital display • Capacity: 56 litres • Stainless steel (fingerprint proof) • Energy class: A

Multifunction turbo • Hob control operated by the oven • Drop-down maxi grill • Polished pop-up control knobs • Cavity with Crystal Clean enamel • Double glazed door • 1 telescopic tray guide • 5 cooking levels • Chromed tray guides • Mix chamber refrigeration system • Deep tray (50 mm) and baking tray • Cooking grid.


					
Description	Weight	m³	U/palet	U/truck	U/cont. 40"
❖ HE 735 E	37	0,26	12	180	162



HE 635

Multifunction oven • 8 cooking functions • Digital display • Capacity: 56 litres • Stainless steel (fingerprint proof) • Energy class: A

Maxi grill • Teka family look control knobs • Cavity with Crystal Clean enamel • Double glazed door • 5 cooking levels • Chromed tray guides • Dynamic cooling system • Deep tray (50 mm) • Cooking grid.

					
Description	Weight	m³	U/palet	U/truck	U/cont. 40"
❖ HE 635	36	0,26	12	180	162




HE 635 E

Multifunction oven • 8 cooking functions • Digital display • Capacity: 56 litres • Stainless steel (fingerprint proof) • Energy class: A

Hob control operated by the oven • Maxi grill • Teka family look control knobs • Cavity with Crystal Clean enamel • Double glazed door • 5 cooking levels • Chromed tray guides • Dynamic cooling system • Deep tray (50 mm) • Cooking grid.

HE 635 ES

Same general features as HE 635 E • Single circuit hobs control.

					
Description	Weight	m³	U/palet	U/truck	U/cont. 40"
❖ HE 635 E	36	0,26	12	180	162
❖ HE 635 ES	36	0,26	12	180	162



HE 615

Multifunction oven • 5 cooking functions • Capacity: 56 litres
• Stainless steel (fingerprint proof) • Energy class: A

Teka family look control knobs • Cavity with Crystal Clean enamel • Double glazed door • 5 cooking levels • Chromed tray guides • Dynamic cooling system • Deep tray (50 mm) • Cooking grid.

							
Description	Weight	m³	U/palet	U/truck	U/cont. 40"		
❧ HE 615	36	0,26	12	180	162		



HE 615 ES

Multifunction oven • 5 cooking functions • Capacity: 56 litres
• Stainless steel (fingerprint proof) • Energy class: A

Hob control operated by the oven, for single circuit hobs • Teka family look control knobs • Cavity with Crystal Clean enamel • Double glazed door • 5 cooking levels • Chromed tray guides • Dynamic cooling system • Deep tray (50 mm) • Cooking grid.








							
Description	Weight	m³	U/palet	U/truck	U/cont. 40"		
❧ HE 615 ES	36	0,26	12	180	162		



HE 545

3 cooking functions • Capacity: 56 litres • Stainless steel (fingerprint proof) • Energy class: A

Teka family look control knobs • Cavity with Crystal Clean enamel • Double glazed door • 5 cooking levels • Chromed tray guides • Dynamic cooling system • Turnspit • Deep tray (50 mm) • Cooking grid.

							
Description	Weight	m³	U/palet	U/truck	U/cont. 40"		
❧ HE 545	30	0,26	12	240	180		

Turbo function: simultaneous cooking and heat distribution.

The Teka turbo function entails cooking via a rear heating element with fan assistance, improving heat distribution to all areas of the oven. This means that simultaneous cooking can be carried out at different levels without odours and flavours getting mixed.



Mix chamber refrigeration system: keeping it cool.

The Air Mix Chamber System takes cold air from outside and a fan mixes it with hot air from the oven's inner cavity. This prevents the cabinet, the front of the oven and handles from becoming too hot. This system also avoids condensation on the inner glass of the door, as well as grease accumulation around the control panel.



HE 535

3 cooking functions • Capacity: 56 litres • Stainless steel (fingerprint proof) • Energy class: A

Teka family look control knobs • Cavity with Crystal Clean enamel • Double glazed door • 5 cooking levels • Chromed tray guides • Dynamic cooling system • Deep tray (50 mm) • Cooking grid.



HE 535 ES

3 cooking functions • Capacity: 56 litres • Stainless steel (fingerprint proof) • Energy class: A

Hob control operated by the oven, for single circuit hobs • Teka family look control knobs • Cavity with Crystal Clean enamel • Double glazed door • 5 cooking levels • Chromed tray guides • Dynamic cooling system • Deep tray (50 mm) • Cooking grid.

<div><div><div>A</div><div><div><div></div><div></div><div></div></div></div></div></div>					
Description	Weight	m³	U/palet	U/truck	U/cont. 40"
❧ HE 535	30	0,26	12	240	180

<div><div><div>A</div><div><div><div></div><div></div><div></div></div></div></div></div>					
Description	Weight	m³	U/palet	U/truck	U/cont. 40"
❧ HE 535 ES	30	0,26	12	240	180



HI 435

3 cooking functions • Capacity: 56 litres • Stainless steel • Energy class: A

Teka family look control knobs • Cavity with Crystal Clean enamel • Double glazed door • Fume exit outlet integrated in the handle • Baking tray.

<div><div><div>A</div><div><div><div></div><div></div><div></div></div></div></div></div>					
Description	Weight	m³	U/palet	U/truck	U/cont. 40"
❧ HI 435	28	0,25	12	240	216

Telescopic tray guides.

Thanks to the five shelf levels in the oven, more versatility is offered. Telescopic tray guides, with three, two or one level, enable trays to slide into various positions for removal of food without risk of burns providing access to any level at any time. A large 1421 cm² enamelled baking tray is included, with 50 mm deep sides.



Hot inside, cold outside.

Teka ovens incorporate a totally flat inner door of high resistance, tempered glass (easily removable without tools), which contributes to the 'A' Class energy rating. This also complies with the most demanding safety standards regarding door temperatures (section 11.102 of the Norm of Security of Appliances UNE - EN 60335).



HE 720 Colour

Multifunction oven • 9 cooking functions • Digital display • Capacity: 56 litres • Colours: Reflex, white or black • Energy class: A

Multifunction turbo • Drop-down maxi grill • Pop-up control knobs • Cavity with Crystal Clean enamel • Double glazed door • 1 telescopic tray guide • 5 cooking levels • Chromed tray guides • Mix chamber refrigeration • Deep tray (50 mm) and baking tray • Cooking grid.

Description	Weight	m³	U/palet	U/truck	U/cont. 40"
HE 720 Colour	37	0,26	12	180	162



HE 720 E Colour

Multifunction oven • 9 cooking functions • Digital display • Capacity: 56 litres • Colours: Reflex, white or black • Energy class: A

Multifunction turbo • Hob control operated by the oven • Drop-down maxi grill • Pop-up control knobs • Cavity with Crystal Clean enamel • Double glazed door • 1 telescopic tray guide • 5 cooking levels • Chromed tray guides • Mix chamber refrigeration • Deep tray (50 mm) and baking tray • Cooking grid.

Description	Weight	m³	U/palet	U/truck	U/cont. 40"
HE 720 E	37	0,26	12	180	162



HE 610 Colour

Multifunction oven • 5 cooking functions • Capacity: 56 litres • Colours: Reflex, white or black • Energy class: A

Teka family look control knobs • Cavity with Crystal Clean enamel • Double glazed door • 5 cooking levels • Chromed tray guides • Dynamic cooling system • Deep tray (50 mm) • Cooking grid.

Description	Weight	m³	U/palet	U/truck	U/cont. 40"
HE 610 Colour	37	0,26	12	180	162

Reflex ovens: Making the difference.

Stainless steel and colour ovens are widely recognized as the most demanded ovens finishing. In Teka, we try to reach out to different approaches for every task we start as we believe that offering broad options is a positive asset. Thus, although it might seem that conventional ovens finishing can fit every need, we do not refrain ourselves from discovering other options. Options as the reflex finishing, that while including all the features of the usual versions of the HE 720 and HE 610 models, add a mirror-looking appearance that transmits a wide scope of different sensations. The mirror reflections create a contrast against the black background colour of the oven, creating and special look.



HE 720 Reflex

HE 610 Reflex

Dynamic cooling system.

The complete Teka ovens range is refrigerated. The HE series incorporate a dynamic cooling system that helps to reduce heat accumulation in the oven cavity. This feature also allows to install the oven in a reduced space.



HE 610 ES Colour

Multifunction oven • 5 cooking functions • Capacity: 56 litres • Colours: Reflex, white or black • Energy class: A

Hob control operated by the oven, for single circuit hobs • Teka family look control knobs • Cavity with Crystal Clean enamel • Double glazed door • 5 cooking levels • Chromed tray guides • Dynamic cooling system • Deep tray (50 mm) • Cooking grid.



Description	Weight	m³	U/palet	U/truck	U/cont. 40"
❧ HE 610 ES Colour	37	0,26	12	180	162



HE 510 Colour

3 cooking functions • Capacity: 56 litres • Colours: White or black • Energy class: A

Teka family look control knobs • Cavity with Crystal Clean enamel • Double glazed door • 5 cooking levels • Dynamic cooling system • Deep tray (50 mm) • Cooking grid.



Description	Weight	m³	U/palet	U/truck	U/cont. 40"
❧ HE 510 Colour	37	0,26	12	180	162



HE 510 ES Colour

3 cooking functions • Capacity: 56 litres • Colours: White or black • Energy class: A

Hob control operated by the oven, for single circuit hobs • Teka family look control knobs • Cavity with Crystal Clean enamel • Double glazed door • 5 cooking levels • Dynamic cooling system • Deep tray (50 mm) • Cooking grid.



Description	Weight	m³	U/palet	U/truck	U/cont. 40"
❧ HE 510 ES Colour	37	0,26	12	180	162



HC 490

3 cooking functions • Capacity: 56 litres • Colours: white or dark • Energy class: A

Teka family look control knobs • Cavity with Crystal Clean enamel • Double glazed door • 5 cooking levels • Chromed tray guides • Fume exit outlet integrated in the handle • Enamelled control panel • Deep tray (50 mm) • Cooking grid .



Description	Weight	m³	U/palet	U/truck	U/cont. 40"
❧ HC 490	27	0,25	12	240	216

**HP 725.1**

Multifunction oven • 7 cooking functions • Digital display • Capacity: 59 litres • Stainless steel (fingerprint proof), white or dark • Energy class: A

Multifunction turbo • Maxi grill • Teka family look control knobs • Pyrolytic cleaning system with autolock • Cooling fan • Triple glazed door • Catalizator with heating element • Heating indicator light • Baking tray • Cooking grid.



Description	Weight	m³	U/palet	U/truck	U/cont. 40"
HP 725.1	45	0,29	12	160	162

**FG 730**

Gas oven • 3 cooking functions • Capacity: 59 litres • Stainless steel (fingerprint proof), white or black.

Teka family look control knobs • Automatic gas oven ignition • Gas grill • Safety device (thermocouple) • Cooling fan • Inner walls with self-cleaning panels • Double glazed door • Turnspit • Chromed tray guides • Adjustable thermostat • Minute minder • Glass panel in coloured versions • Baking tray • Cooking grid.

**FG 724.2**

Same general features as FG 730 • Electric grill.

Description	Weight	m³	U/palet	U/truck	U/cont. 40"
FG 730	37	0,28	12	180	162
FG 724.2	34	0,28	12	180	162

**FG 824**

Gas oven • 3 cooking functions • Capacity: 105 litres • Stainless steel (fingerprint proof) • 80 cm wide.

Teka family look control knobs • Automatic gas oven ignition • Electric grill • Safety device (thermocouple) • Cooling fan • Inner walls with self-cleaning panels • Double glazed door • Turnspit • Chromed tray guides • Minute minder • Extra large surface tray • Cooking grid.



Description	Weight	m³	U/palet	U/truck	U/cont. 40"
FG 824	40	0,38	-	138	120

**Easy defrosting.**

The defrosting function meets the demands of those who prefer pre-cooked and frozen food. Defrosting is achieved through short and homogeneous cycles of hot air at two settings: high level (45°C) for meats in general, and low level (35°C) for fishes, pastries and bread. The warm airflow preserves all the essential ingredients while defrosting, as the ice molecules break up slowly and naturally.

Inner lighting.

Oven lighting is also carefully considered, with optimum brightness gained from a special rear panel shape with a 25W lamp. Top-of-the-range ovens incorporate two 25W lamps on each side so that dishes are easily visible without dark shadows, even when cooking at several levels simultaneously. With an energy-saving option you can also switch off the lights inside the oven if they're not required.

Reinforced grill pan.

The grill pan has a reinforced grid and a handle for easy removal, plus a safety-stop feature to avoid the tray being accidentally pulled off the shelf. There is also an energy-saving feature whereby when the door is opened, the heating element and hot air fan are automatically switched off. After closing the door, the oven carries on operating according to the previous settings.



Built-in microwaves

The perfect companion for your oven

The ovens and built-in microwaves combine to perfection thanks to the distinctive family look developed for our cooking columns. Clean lines from the oven to the microwave or varied profiles running from the microwave to the oven give fresh expression to the built-in concept where Teka is a leading world name.

**TMW 18 BHG**

Built-in concept • Semi electronic control panel • Quartz grill power (1,000 W) • Stainless steel (fingerprint proof).

Capacity: 18 litres • 5 microwave power levels (800 W) • 3 cooking memories • Teka family look control knobs • Digital timer, maximum 90 minutes • 30 seconds quick Start • Automatic defrost by time and weight • Integrated rotary turntable • Stainless steel inner cavity • Children safety block • Built-in frame included.

**TMW 18 BIH**

Same general features as TMW 18 BHG model but without grill and 1 cooking memory • Colours: Stainless steel (fingerprint proof), white, black.

Description	Weight	m³	U/palet	U/truck	U/cont. 40"
TMW 18 BHG	20,5	0,12	20	460	440
TMW 18 BIH	20	0,12	20	460	450

**TMW 18 BIG**

Built-in concept • Mechanical control panel • Quartz grill power (1,000 W) • Stainless steel (fingerprint proof).

Capacity: 18 litres • 5 microwave power levels (800 W) • Teka family look control knobs • Minute minder, maximum 60 minutes • Automatic defrost by time • Integrated rotary turntable • Stainless steel inner cavity • Built-in frame included.

**TMW 18 BI**

Same general features as TMW 18 BIG model but without grill • Colours: Stainless steel (fingerprint proof), white, black.

Description	Weight	m³	U/palet	U/truck	U/cont. 40"
TMW 18 BIG	20,5	0,124	20	460	440
TMW 18 BI	20,5	0,124	20	460	440

**TMW 20.2 BI**

Built-in concept • Mechanical control panel • Quartz grill power (1,000 W) • Colours: Stainless steel (fingerprint proof), white, black.

Capacity: 18 litres • 5 microwave power levels (800 W) • Teka family look control knobs • Forced air ventilation • Minute minder, maximum 60 minutes • Automatic defrost by time • Integrated rotary turntable • Stainless steel inner cavity • Built-in frame included.



Description	Weight	m³	U/palet	U/truck	U/cont. 40"
TMW 20.2 BI	20,5	0,12	20	460	450

Healthy defrosting.

The essence of microwave cooking or defrosting is that times are reduced because the waves penetrate food from various directions. The double microwaves output (D.M.O.) in some Teka models, makes diagonal waves enter from two points which complement the motion of the integrated rotary turntable to cook evenly, as well as to minimise the possibility of cold zones.



A defrost system by weight is available in all electronic and touch-control models. It calculates defrosting time according to the type and weight of the food.



Automatic defrost by time is the alternative method, available in the electronic and touch control models, whereby power varies for a more efficient defrosting. In the electromechanical models, defrosting is only achieved by using fixed power levels. However, both types of defrosting act very quickly, preventing the opportunities for bacteria to develop.



Country style series

The final touch for a country style ambient







The countryside is a place to retreat, to forget about the daily worries that consume our energy. Creating a cozy feeling is the Teka objective when designing our country style ovens. The right balance between a functional oven and a country style aesthetic imprints our proposals with a personality of their own that we are sure you will enjoy.



HR 800

Multifunction oven • 9 cooking functions • Analogic timer with stop programmer • Capacity: 56 litres • Colours: white or black • Energy class: A

Multifunction turbo • Drop-down maxi grill • Cavity with Crystal Clean enamel • Full glass inner door • Double glazed door • 5 cooking levels • Chromed tray guides • Mix chamber refrigeration system • Glass control panel • Door opening security disconnection • Deep tray (50 mm) and baking tray • Cooking grid • Optional: 2 telescopic tray guides.








      						
Description	Weight	m³	U/pallet	U/truck	U/cont. 40"	
❧ HR 800	37	0,26	12	180	162	



HR 700

Multifunction oven • 7 cooking functions • Analogic timer with stop programmer • Capacity: 56 litres • Colours: white or black • Energy class: A

Maxi grill • Cavity with Crystal Clean enamel • Full glass inner door • Double glazed door • 5 cooking levels • Chromed tray guides • Mix chamber refrigeration system • Glass control panel • Deep tray (50 mm) • Cooking grid.

      						
Description	Weight	m³	U/pallet	U/truck	U/cont. 40"	
❧ HR 700	36	0,26	12	180	162	

An alternative for urban kitchens.

Straight lines are popular in nowadays kitchen designs. Home appliances follow this trend, adapting their lines to the context where they must be integrated. However, there are some markets and second residences in the countryside where the kitchens follow an alternative concept. Not only is the kitchen furniture more decorated and alive due to the preeminent use of the wood, but the ambient of the entire kitchen is warmer and enjoyable.

The Teka country style is applied to the ovens, hoods and hobs so that the entire kitchen can be equipped with the last technology and performance of modern kitchens and the relaxed atmosphere of the country style.

Teka series combinations

Three designs, several alternatives.

The Teka structure is focusing all efforts in supporting the commercial activity, widening the choices and introducing new options and family looks.

The Teka built-in cooking appliances offer 3 basic designs; the competitive "Univerzo", the wide "Classic" and the exclusive "Design" series. Each series is defined by a different family look and based on a constructive platform, only accessible for those few companies with an industrial capacity of their own.

Aesthetics and product features according to the market requests configure the keys to ensure the viability of every Teka action. As a reference, see below some suggested presentations for each design concept.

For further information and other possible and competitive set configurations, please contact the commercial department.



Design series - Touch control panel



HX 790 + MCX 45 BIT




DHX 110T



IRX 90 HS



Design series - Pop-up knobs control panel



HX 760 + MWX 45 BIS



DHX 110P



IRS 70 HS

Classic series - Touch control panel



HA 870 + MW 32 BIT



DT 90



TR/TT 732


Classic series - Electronic control panel



HA 840 + MC 32 BIH



DHB 90




GKST 60 DZ Slider

Universe series



HE 735 + TMW 18 BHG



DBE 90



HLX 60 4G AI AL

Cooking columns

Symbiosis a glance.

The column is the design heart of the modern kitchen, not only as the centre of the cooking activity, but also because of its vertical alignment and medium height which make it the spot where all eyes converge.

Thanks to its studied design, perfect family look and harmony between oven and microwave, the cooking columns by Teka are a trend to follow.

When Teka first started researching and developing the column concept, most people were sceptical about its advantages. But time itself, along with the popularisation of the built-in format and the specialisation of kitchen furniture makers, have made Teka's cooking columns a hot item in kitchen design.

Teka's columns stand out for two exclusive characteristics.

- The first is their masterly use of stainless steel. Teka is one of the world's largest manufacturers of stainless steel sinks, so we make sure the material we use is of first-rate quality and, just as important, that it has an even tone throughout.
- The second is the design of columns and their family look. Teka makes every kind of kitchen appliance, so ovens and microwaves are planned in our design departments and studied in R&D knowing that most of them will end up forming part of a single unit.

Design series cooking columns



HX 790 + MCX 45 BIT



HX 760 + MWX 45 BIS



HX 790

HX 960 S

MCX 45 BIT



HX 740

MWX 45 BIS

Classic series cooking columns



HA 890 + TMW 22 BIT



HA 870 + TMW 20.2 BIT



HK 800

MW 32 BIT

CM 45 Inox



HK 750

HK 760 P

MW 32 BIH

Universo series cooking columns



HE 635 + TMW 18 BHG



HE 615 + TMW 20.2 BI

Functions

Cooking tips.



Traditional settings

Used for items like sponges and cakes where the heat must be uniform to achieve a spongy texture. Recommended temperature: 170° C - 210° C. This function can be used at minimum temperature to keep foods warm before serving them to the table.



Bottom heating element

Heats only from underneath, suitable for cooking dishes with a pastry content.



Grill

For grilling and browning, particularly suitable for low-to-medium thickness meat like sausages and steaks. Recommended temperature: 170-220° C.



Maxi Grill

Allows for cooking bigger surfaces than the standard grill, and greater power reduces the time required for browning food.



Grill and bottom heating element

Is specially for roasts, of any size.



Traditional fan settings

Appropriate for roasts and cakes. The fan spreads heat uniformly around the oven, reducing cooking time and temperature. Recommended temperature: 160-200° C.



Fan grilling

Used when uniform roasting is needed at the same time as surface browning. It's ideal for larger dishes such as poultry and game, when a tray can be placed under the grid to collect leftovers and juices.



Maxi Grill with fan

Used when uniform roasting is needed at the same time as surface browning. It's ideal for larger dishes such as poultry and game, when a tray can be placed under the grid to collect leftovers and juices.



Bottom heating element with fan

Distributes heat from the lower part of the oven and is ideal for cakes with jam or fruit filling which only require heating from underneath. Pre-heating is always necessary with this setting.



Turbo settings

Incorporate a turbine that distributes heat from an element at the back of the oven which ensures better heat circulation. It allows cooking at several heights at the same time without odours and flavours becoming mixed. The turbo function is ideal for cooking roasts because it's quicker and avoids direct impact of heat above the trays. There is a special function for pastries. Recommended temperatures are 150°C - 200°C, apart from meringues which require 100°C - 120°C.



Pizza setting

It heats from the bottom and back of the oven at 3200 W of maximum nominal power with a fan for a better heat distribution. This function is recommended for pizzas, puff pastries, pastries with fillings, etc.



Grill + turnspit

Grill can be used combined with the turnspit to brown larger meat pieces, as well as poultry, beef, lamb etc.



Maxi Grill + turnspit

As the grill, the maxi grill can be used combined with the turnspit to brown larger meat pieces, as well as poultry, beef, lamb etc.



Slow cook

Slow function is a special function to prepare recipes at low temperature, what allows keeping all the flavour of the foods. It is ideal to cook any type of foods as we would cook it in a cooking pot : stewed, meat, fish pan, etc.



Toast

The combo oven has 4 different programmes to make toasts at the same time in just 2 minutes.



Stone function

Finally, it will be possible to make stone cooking at home. With the new Teka stone and the new warm stone function, you will have your stone hot in approximately 30 minutes. Combo 45.15 has a volcanic stone (warm stone), a tray stone and tray handle as optional accessories.



Defrosting

Defrost function is in response the growing of pre-cooking and frozen dishes. Defrost is done through short, even cycles of hot air in two levels: high level (45° C) for meats in general and low level (35° C) for fishes, pastries and bread.







Express preheating


The express preheating function reduces the preheating time of the oven by 60% when the oven is cold (higher electric consumption stage). The heating elements of the oven connect at maximum power until the selected temperature is reached, this way it is reduced the waiting time without any additional energy consumption.




Pyrolysis

With pyrolytic ovens, no manual cleaning is required. Teka's Pyroclean system heats the oven to 500°C, burning off all residues from baking, roasting or grilling, carbonising all organic substances into carbon dioxide and water, and non-organic substances into a fine layer of ash. When the ash is removed the oven is completely sterilised, eliminating all harmful viruses and bacteria, whilst all fumes and odours are removed by the catalyst.


Model	   			
	HX 790	HX 760	HX 760 E	HX 740
Page	11	11	11	12
Overall measurements (mm)				
Height/Width/Depth	595/595/562	595/595/562	595/595/562	595/595/562
Inner measurements (mm)				
Height/Width/Depth	320/413/395	320/413/395	320/413/395	320/413/395
Capacity litres	56	56	56	56
Electrical connection				
Voltage 220-240 V (*)	•	•	•	•
Frequency 50/60 Hz (*)	•	•	•	•
Maximum connection rating (W)	3248	3673	3673	3673
Power consumption				
Bottom heat (W)	1150	1150	1150	1150
Grill/Maxi Grill (W)	1500/2600	1450/2450	1450/2450	1450/2450
Traditional (W)	2250	2150	2150	2150
Turbo (W)	2000	2000	2000	-
Multifunction motor (W)	30	30	30	30
Turnspit motor (W)	-	-	-	-
Interior light (W)	50	25	25	25
Cooling fan motor (W)	18	18	18	18
Features				
Cooking functions	14	10	10	8
Touch control digital programmer	•	-	-	-
Digital timer with start/stop programmer	-	• (Pop-up knobs)	• (Pop-up knobs)	• (Pop-up knobs)
Analogic timer with start/stop programmer	-	-	-	-
Analogic timer with stop programmer	-	-	-	-
Mechanical timer with stop programmer	-	-	-	-
Pop-up control knobs	-	•	•	•
Express preheating	•	•	•	•
Cooking levels	3	5	5	5
Telescopic tray guides	3	2	2	-
Chromed tray guides	•	•	•	•
Mix Chamber System	•	•	•	•
Fume scape outlet	Vault	Vault	Vault	Vault
Drop-down grill	•	•	•	-
Safety systems				
Door opening security disconnection	•	•	•	-
Children safety block	•	•	•	•
Anti-tip tray system	•	•	•	•
Safety thermostat	•	•	•	•
Glazed door	3	3	3	2
Cleaning system				
Self-cleaning panels	-	-	-	-
Crystal clean enamel	Trays/cavity	Trays/cavity	Trays/cavity	Trays/cavity
Pyrolytic cleaning	-	-	-	-
Fingerprint proof stainless steel	•	•	•	•
Accessories				
Baking tray	1	1	1	1
Deep tray (50 mm)	1	1	1	1
Roasting tray	-	-	-	-
Chromed cooking grid	1	1	1	1
Turnspit	-	-	-	-
Tray handle	1	1	1	-
Energy efficiency				
Energy label	A	A	A	A




HX 790



HX 760



HX 760 E




HX 740


* Voltage and frequency could vary according to the markets.




Model	HX 720	COMBO HX 45.15	HKX 790
Page	12	12	13
Overall measurements (mm)			
Height/Width/Depth	595/595/562	595/595/562	455/595/562
Inner measurements (mm)			
Height/Width/Depth	320/413/395	217/411/393 and 115/411/280	217/413/393
Capacity litres	56	46/29	46
Electrical connection			
Voltage 220-240 V (*)	•	•	•
Frequency 50/60 Hz (*)	•	•	•
Maximum connection rating (W)	2623	6598	2973
Power consumption			
Bottom heat (W)	1150	1050/1800	1050
Grill/Maxi Grill (W)	1400/-	1500 + 2600/1800	1100/2600
Traditional (W)	2250	2150/3600	2150
Turbo (W)	-	1800	1800
Multifunction motor (W)	30	27	30
Turnspit motor (W)	-	-	-
Interior light (W)	25	25 + 25	25
Cooling fan motor (W)	18	18	18
Features			
Cooking functions	5	9/5	14
Touch control digital programmer	-	•	•
Digital timer with start/stop programmer	-	-	-
Analogic timer with start/stop programmer	-	-	-
Analogic timer with stop programmer	-	-	-
Mechanical timer with stop programmer	•	-	-
Pop-up control knobs	•	-	-
Express preheating	-	•	•
Cooking levels	5	4	4
Telescopic tray guides	-	1	1
Chromed tray guides	•	•	•
Mix Chamber System	•	-	-
Fume scape outlet	Vault	Vault	Vault
Drop-down grill	-	•	•
Safety systems			
Door opening security disconnection	-	•	•
Children safety block	-	•	•
Anti-tip tray system	•	•	-
Safety thermostat	•	•	•
Glazed door	2	3/2	3
Cleaning system			
Self-cleaning panels	-	-	-
Crystal clean enamel	Trays/cavity	Trays/cavity + trays	Trays/cavity
Pyrolytic cleaning	-	-	-
Fingerprint proof stainless steel	•	•	•
Accessories			
Baking tray	-	1	-
Deep tray (50 mm)	1	1	1
Roasting tray	-	-	-
Chromed cooking grid	1 (standard)	1	1
Turnspit	-	-	-
Tray handle	-	-	1
Energy efficiency			
Energy label	A	A	A



HX 720







COMBO HX 45.15



HKX 790


* Voltage and frequency could vary according to the markets.

Model	HKX 960 S	HKX 740	HA 890	HA 870
Page	13	13	19	19
Overall measurements (mm)				
Height/Width/Depth	455/595/472	455/595/562	595/595/562	595/595/562
Inner measurements (mm)				
Height/Width/Depth	210/420/390	217/413/393	320/413/395	320/413/395
Capacity litres	35	46	56	56
Electrical connection				
Voltage 220-240 V (*)	•	•	•	•
Frequency 50/60 Hz (*)	-/•	•	•	•
Maximum connection rating (W)	1500	3673	3248	3223
Power consumption				
Bottom heat (W)	-	1050	1150	1150
Grill/Maxi Grill (W)	-	1450/2550	1500/2600	1500/2600
Traditional (W)	-	2150	2250	2250
Turbo (W)	-	-	2000	2000
Multifunction motor (W)	-	30	30	30
Turnspit motor (W)	-	-	-	-
Interior light (W)	15	25	50	25
Cooling fan motor (W)	25	18	18	18
Features				
Cooking functions	2	8	9	11
Touch control digital programmer	•	-	•	•
Digital timer with start/stop programmer	-	• (Pop-up knobs)	-	-
Analogic timer with start/stop programmer	-	-	-	-
Analogic timer with stop programmer	-	-	-	-
Mechanical timer with stop programmer	-	-	-	-
Pop-up control knobs	-	•	•	-
Express preheating	-	•	•	•
Cooking levels	4	4	3	5
Telescopic tray guides	-	1	3	2
Chromed tray guides	S/steel	•	•	•
Mix Chamber System	-	-	•	•
Fume scape outlet	Vault	Vault	Vault	Vault
Drop-down grill	-	•	•	•
Safety systems				
Door opening security disconnection	•	-	•	•
Children safety block	•	•	•	•
Anti-tip tray system	-	-	•	•
Safety thermostat	-	•	•	•
Glazed door	2	2	3	3
Cleaning system				
Self-cleaning panels	-	-	-	-
Crystal clean enamel	-	Trays/cavity	Trays/cavity	Trays/cavity
Pyrolytic cleaning	-	-	-	-
Fingerprint proof stainless steel	•	•	•	•
Accessories				
Baking tray	2 (S/steel)	-	1	1
Deep tray (50 mm)	-	1	1	1
Roasting tray	-	-	-	-
Chromed cooking grid	-	1	1	1
Turnspit	-	-	-	-
Tray handle	-	-	1	-
Energy efficiency				
Energy label	-	A	A	A



HKX 960 S

HKX 740

HA 890

HA 870

* Voltage and frequency could vary according to the markets.


Model	HA 860	HA 850	HA 855	HA 845
Page	19	20	20	20
Overall measurements (mm)				
Height/Width/Depth	595/595/562	595/595/562	595/595/562	595/595/562
Inner measurements (mm)				
Height/Width/Depth	320/413/395	320/413/395	320/413/395	320/413/395
Capacity litres	56	56	56	56
Electrical connection				
Voltage 220-240 V (*)	•	•	•	•
Frequency 50/60 Hz (*)	•	•	•	•
Maximum connection rating (W)	2343	2693	2693	3673
Power consumption				
Bottom heat (W)	-	1150	1150	1150
Grill/Maxi Grill (W)	-/2300	1500/2600	1500/2600	1450/2450
Traditional (W)	-	2250	2250	2150
Turbo (W)	2000	2000	2000	2000
Multifunction motor (W)	30	30	30	30
Turnspit motor (W)	-	-	-	-
Interior light (W)	25	25	25	25
Cooling fan motor (W)	18	18	18	18
Features				
Cooking functions	2+13	9	9	9
Touch control digital programmer	-	•	•	-
Digital timer with start/stop programmer	•	-	-	•
Analogic timer with start/stop programmer	-	-	-	-
Analogic timer with stop programmer	-	-	-	-
Mechanical timer with stop programmer	-	-	-	-
Pop-up control knobs	•	•	•	•
Express preheating	•	-	•	•
Cooking levels	5	3	5	5
Telescopic tray guides	1	3	2	Optional (2)
Chromed tray guides	•	•	•	•
Mix Chamber System	•	•	•	•
Fume scape outlet	Vault	Vault	Vault	Vault
Drop-down grill	•	•	•	•
Safety systems				
Door opening security disconnection	•	•	-	-
Children safety block	-	•	-	•
Anti-tip tray system	•	•	•	•
Safety thermostat	•	•	•	•
Glazed door	2	3	2	2
Cleaning system				
Self-cleaning panels	-	-	-	-
Crystal clean enamel	Trays/cavity	Trays/cavity	Trays/cavity	Trays/cavity
Pyrolytic cleaning	-	-	-	-
Fingerprint proof stainless steel	•	•	•	•
Accessories				
Baking tray	1	1	1	1
Deep tray (50 mm)	1	1	1	1
Roasting tray	-	-	-	-
Chromed cooking grid	1	1	1 (standard)	1 (standard)
Turnspit	-	-	-	-
Tray handle	1	1	-	-
Energy efficiency				
Energy label	A	A	A	A




HA 860



HA 850








HA 855




HA 845

* Voltage and frequency could vary according to the markets.


Model	   			
	HA 845 E	HA 840	HA 835	HA 835 E
Page	20	21	21	21
Overall measurements (mm)				
Height/Width/Depth	595/595/562	595/595/562	595/595/562	595/595/562
Inner measurements (mm)				
Height/Width/Depth	320/413/395	320/413/395	320/413/395	320/413/395
Capacity litres	56	56	56	56
Electrical connection				
Voltage 220-240 V (*)	•	•	•	•
Frequency 50/60 Hz (*)	•	•	•	•
Maximum connection rating (W)	3673	3673	1623	1623
Power consumption				
Bottom heat (W)	1150	1150	1150	1150
Grill/Maxi Grill (W)	1450/2450	1450/2450	1500/2600	1500/2600
Traditional (W)	2150	2150	2250	2250
Turbo (W)	2000	-	-	-
Multifunction motor (W)	30	30	30	30
Turnspit motor (W)	-	-	-	-
Interior light (W)	25	25	25	25
Cooling fan motor (W)	18	18	18	18
Features				
Cooking functions	9	7	7	7
Touch control digital programmer	-	-	-	-
Digital timer with start/stop programmer	•	•	•	•
Analogic timer with start/stop programmer	-	-	-	-
Analogic timer with stop programmer	-	-	-	-
Mechanical timer with stop programmer	-	-	-	-
Pop-up control knobs	•	•	-	-
Express preheating	•	•	-	-
Cooking levels	5	5	5	5
Telescopic tray guides	Optional (2)	Optional (2)	Optional (2)	Optional (2)
Chromed tray guides	•	•	•	•
Mix Chamber System	•	•	•	•
Fume scape outlet	Vault	Vault	Vault	Vault
Drop-down grill	•	-	-	-
Safety systems				
Door opening security disconnection	-	-	-	-
Children safety block	•	•	-	-
Anti-tip tray system	•	-	-	-
Safety thermostat	•	•	•	•
Glazed door	2	2	2	2
Cleaning system				
Self-cleaning panels	-	-	-	-
Crystal clean enamel	Trays/cavity	Trays/cavity	Trays/cavity	Trays/cavity
Pyrolytic cleaning	-	-	-	-
Fingerprint proof stainless steel	•	•	•	•
Accessories				
Baking tray	1	1	-	-
Deep tray (50 mm)	1	1	1	1
Roasting tray	-	-	-	-
Chromed cooking grid	1 (standard)	1	1	1
Turnspit	-	-	-	-
Tray handle	-	-	-	-
Energy efficiency				
Energy label	A	A	A	A




HA 845 E



HA 840




HA 835




HA 835 E

* Voltage and frequency could vary according to the markets.


Model	HA 830	HA 830 E	HA 825	HA 825 E
Page	22	22	22	22
Overall measurements (mm)				
Height/Width/Depth	595/595/562	595/595/562	595/595/562	595/595/562
Inner measurements (mm)				
Height/Width/Depth	320/413/395	320/413/395	320/413/395	320/413/395
Capacity litres	56	56	56	56
Electrical connection				
Voltage 220-240 V (*)	•	•	•	•
Frequency 50/60 Hz (*)	•	•	•	•
Maximum connection rating (W)	2623	2623	2693	2693
Power consumption				
Bottom heat (W)	1150	1150	1150	1150
Grill/Maxi Grill (W)	1400/-	1400/-	1500/2600	1500/2600
Traditional (W)	2550	2550	2250	2250
Turbo (W)	-	-	-	-
Multifunction motor (W)	30	30	30	30
Turnspit motor (W)	-	-	-	-
Interior light (W)	25	25	25	25
Cooling fan motor (W)	18	18	18	18
Features				
Cooking functions	5	5	7	7
Touch control digital programmer	-	-	-	-
Digital timer with start/stop programmer	•	•	-	-
Analogic timer with start/stop programmer	-	-	-	-
Analogic timer with stop programmer	-	-	-	-
Mechanical timer with stop programmer	-	-	•	•
Pop-up control knobs	-	-	-	-
Express preheating	-	-	-	-
Cooking levels	5	5	5	5
Telescopic tray guides	Optional (1)	Optional (1)	-	-
Chromed tray guides	•	•	•	•
Mix Chamber System	•	•	•	•
Fume scape outlet	Vault	Vault	Vault	Vault
Drop-down grill	-	-	-	-
Safety systems				
Door opening security disconnection	-	-	-	-
Children safety block	-	-	-	-
Anti-tip tray system	•	•	-	-
Safety thermostat	•	•	•	•
Glazed door	2	2	2	2
Cleaning system				
Self-cleaning panels	-	-	-	-
Crystal clean enamel	Trays/cavity	Trays/cavity	Trays/cavity	Trays/cavity
Pyrolytic cleaning	-	-	-	-
Fingerprint proof stainless steel	•	•	•	•
Accessories				
Baking tray	-	-	-	-
Deep tray (50 mm)	1	1	1	1
Roasting tray	-	-	-	-
Chromed cooking grid	1 (standard)	1 (standard)	1	1
Turnspit	-	-	-	-
Tray handle	-	-	-	-
Energy efficiency				
Energy label	A	A	A	A




HA 830



HA 830 E




HA 825




HA 825 E

* Voltage and frequency could vary according to the markets.


Model	HA 823	HA 820	HA 820 E	HP 740
Page	23	23	23	24
Overall measurements (mm)				
Height/Width/Depth	595/595/562	595/595/562	595/595/562	591/597/547
Inner measurements (mm)				
Height/Width/Depth	320/413/395	320/413/395	320/413/395	340/440/398
Capacity litres	56	56	56	59
Electrical connection				
Voltage 220-240 V (*)	•	•	•	•
Frequency 50/60 Hz (*)	•	•	•	•
Maximum connection rating (W)	2623	2623	2623	3100
Power consumption				
Bottom heat (W)	1150	1150	1150	1500
Grill/Maxi Grill (W)	1400/-	1400/-	1400/-	2550
Traditional (W)	2550	2550	2550	2400
Turbo (W)	-	-	-	2400
Multifunction motor (W)	30	30	30	2150
Turnspit motor (W)	-	-	-	-
Interior light (W)	25	25	25	25
Cooling fan motor (W)	18	18	18	25
Features				
Cooking functions	5	5	5	9
Touch control digital programmer	-	-	-	-
Digital timer with start/stop programmer	-	-	-	•
Analogic timer with start/stop programmer	-	-	-	-
Analogic timer with stop programmer	-	-	-	-
Mechanical timer with stop programmer	•	•	•	-
Pop-up control knobs	-	-	-	•
Express preheating	-	-	-	•
Cooking levels	5	5	5	3
Telescopic tray guides	-	-	-	-
Chromed tray guides	•	•	•	-
Mix Chamber System	•	•	•	-
Fume scape outlet	Vault	Vault	Vault	Vault
Drop-down grill	-	-	-	-
Safety systems				
Door opening security disconnection	-	-	-	With pyrolysis
Children safety block	-	-	-	•
Anti-tip tray system	-	-	-	•
Safety thermostat	•	•	•	•
Glazed door	2	2	2	3
Cleaning system				
Self-cleaning panels	-	-	-	-
Crystal clean enamel	Trays/cavity	Trays/cavity	Trays/cavity	Trays/cavity
Pyrolytic cleaning	-	-	-	•
Fingerprint proof stainless steel	•	•	•	•
Accessories				
Baking tray	-	-	-	1
Deep tray (50 mm)	1	1	1	-
Roasting tray	-	-	-	1
Chromed cooking grid	1	1	1	1
Turnspit	-	-	-	-
Tray handle	-	-	-	-
Energy efficiency				
Energy label	A	A	A	A




HA 823



HA 820




HA 820 E




HP 740




Model	HP 730	COMBO HA 45.15	HA 935
Page	24	24	25
Overall measurements (mm)			
Height/Width/Depth	591/597/547	595/595/562	480/892/556
Inner measurements (mm)			
Height/Width/Depth	340/440/398	217/411/395 and 115/411/180	326/639/430
Capacity litres	59	46/29	88
Electrical connection			
Voltage 220-240 V (*)	•	•	•
Frequency 50/60 Hz (*)	•	•	•
Maximum connection rating (W)	3100	2655-3643	3068
Power consumption			
Bottom heat (W)	1500	1050/1800	1100
Grill/Maxi Grill (W)	2550	1500 - 2600/1800	1900/2950
Traditional (W)	2400	2150/3600	2150
Turbo (W)	2400	1800	2400
Multifunction motor (W)	2150	30	30
Turnspit motor (W)	-	-	-
Interior light (W)	25	25 / 25	50
Cooling fan motor (W)	25	18	18
Features			
Cooking functions	9	7/3	9
Touch control digital programmer	-	•	-
Digital timer with start/stop programmer	•	-	•
Analogic timer with start/stop programmer	-	-	-
Analogic timer with stop programmer	-	-	-
Mechanical timer with stop programmer	-	-	-
Pop-up control knobs	-	-	•
Express preheating	-	-	-
Cooking levels	3	4	3
Telescopic tray guides	-	1	3
Chromed tray guides	-	•	-
Mix Chamber System	-	-	•
Fume scape outlet	Vault	Vault-back	Vault
Drop-down grill	-	- / •	•
Safety systems			
Door opening security disconnection	With pyrolysis	- / •	•
Children safety block	-	-	-
Anti-tip tray system	•	•	•
Safety thermostat	•	•	•
Glazed door	3	2/2	3
Cleaning system			
Self-cleaning panels	-	-	-
Crystal clean enamel	Trays/cavity	Trays/cavity + trays	Trays/cavity
Pyrolytic cleaning	•	-	-
Fingerprint proof stainless steel	•	•	-
Accessories			
Baking tray	1	-	-
Deep tray (50 mm)	-	1/-	1
Roasting tray	1	-	-
Chromed cooking grid	1	1/-	1
Turnspit	-	-	-
Tray handle	-	-	-
Energy efficiency			
Energy label	A	A	B



HP 730




COMBO HA 45.15




HA 935




Model	HA 900	FG 924	DHA 888
Page	25	25	26
Overall measurements (mm)			
Height/Width/Depth	480/892/556	585/894/570	888/595/562
Inner measurements (mm)			
Height/Width/Depth	326/639/430	317/681/361	161x438x425 + 320x395x419
Capacity litres	88	105	35 + 56
Electrical connection			
Voltage 220-240 V (*)	•	230/110	•
Frequency 50/60 Hz (*)	•	•	•
Maximum connection rating (W)	3068	2560/1700	5322
Power consumption			
Bottom heat (W)	1100	2400	1050 + 0
Grill/Maxi Grill (W)	1900/2950	1400	1500/1100 + 1500/1100
Traditional (W)	2150	-	-
Turbo (W)	-	-	0 + 2000
Multifunction motor (W)	30	-	0 + 27
Turnspit motor (W)	-	4	-
Interior light (W)	50	25	25 + 25
Cooling fan motor (W)	18	27	18
Features			
Cooking functions	7	3	4 + 4
Touch control digital programmer	-	-	-
Digital timer with start/stop programmer	-	-	•
Analogic timer with start/stop programmer	-	-	-
Analogic timer with stop programmer	-	-	-
Mechanical timer with stop programmer	•	•	-
Pop-up control knobs	-	-	-
Express preheating	-	-	-
Cooking levels	7	7	3 + 5
Telescopic tray guides	-	-	-
Chromed tray guides	•	•	•
Mix Chamber System	-	-	-
Fume scape outlet	Vault	Vault	Vault
Drop-down grill	•	-	-
Safety systems			
Door opening security disconnection	-	-	-
Children safety block	-	-	-
Anti-tip tray system	•	•	•
Safety thermostat	•	•	•
Glazed door	3	2	2
Cleaning system			
Self-cleaning panels	-	•	-
Crystal clean enamel	Trays/cavity	-	Trays/cavity
Pyrolytic cleaning	-	-	-
Fingerprint proof stainless steel	-	•	•
Accessories			
Baking tray	-	1	-
Deep tray (50 mm)	1	-	1 + 1
Roasting tray	-	-	-
Chromed cooking grid	1	1	1 + 2
Turnspit	-	1	-
Tray handle	-	-	1
Energy efficiency			
Energy label	B	-	BA



HA 900




FG 924




DHA 888




Model	DHA 718	HK 800	HK 750
Page	26	28	28
Overall measurements (mm)			
Height/Width/Depth	718/595/540	455/595/562	455/595/562
Inner measurements (mm)			
Height/Width/Depth	161x438x425 + 217x438x393	217/413/393	217/413/393
Capacity litres	35 + 46	46	46
Electrical connection			
Voltage 220-240 V (*)	•	•	•
Frequency 50/60 Hz (*)	•	•	•
Maximum connection rating (W)	4495	2973	2667
Power consumption			
Bottom heat (W)	1050 + 0	1050	1050
Grill/Maxi Grill (W)	1500/1100 + 0	1100/2600	1100/2600
Traditional (W)	-	2150	2550
Turbo (W)	0 + 1800	1800	1800
Multifunction motor (W)	0 + 27	27	27
Turnspit motor (W)	-	-	-
Interior light (W)	25 + 25	25	25
Cooling fan motor (W)	18	18	18
Features			
Cooking functions	4 + 1	9	9
Touch control digital programmer	-	•	-
Digital timer with start/stop programmer	•	-	•
Analogic timer with start/stop programmer	-	-	-
Analogic timer with stop programmer	-	-	-
Mechanical timer with stop programmer	-	-	-
Pop-up control knobs	-	-	-
Express preheating	-	•	•
Cooking levels	3 + 5	4	4
Telescopic tray guides	-	1	1
Chromed tray guides	•	•	•
Mix Chamber System	-	-	-
Fume scape outlet	Vault	Vault	Vault
Drop-down grill	-	•	•
Safety systems			
Door opening security disconnection	-	•	•
Children safety block	-	•	•
Anti-tip tray system	•	•	•
Safety thermostat	•	•	•
Glazed door	2	3	3
Cleaning system			
Self-cleaning panels	-	-	-
Crystal clean enamel	Trays/cavity	Trays/cavity	Trays/cavity
Pyrolitic cleaning	-	-	-
Fingerprint proof stainless steel	•	•	•
Accessories			
Baking tray	-	1	-
Deep tray (50 mm)	1	1	1
Roasting tray	-	-	-
Chromed cooking grid	1 + 2	1	1
Turnspit	-	-	-
Tray handle	1	-	-
Energy efficiency			
Energy label	BA	A	A



DHA 718




HK 800




HK 750




Model	HK 700	HK 500	HK 760 P	HK 930 S
Page	28	28	29	29
Overall measurements (mm)				
Height/Width/Depth	455/595/562	455/595/562	460/597/566	455/595/472
Inner measurements (mm)				
Height/Width/Depth	217/413/393	217/438/393	232/465/425	210/420/390
Capacity litres	46	46	46	35
Electrical connection				
Voltage 220-240 V (*)	•	•	•	•
Frequency 50/60 Hz (*)	•	•	•	•/-
Maximum connection rating (W)	2667	2493	3400	1500
Power consumption				
Bottom heat (W)	1050	1050	1400	-
Grill/Maxi Grill (W)	1100/2600	1400/-	2300	-
Traditional (W)	2150	2450	2250	-
Turbo (W)	-	-	2300	-
Multifunction motor (W)	-	-	2150	-
Turnspit motor (W)	-	-	-	-
Interior light (W)	25	25	25	15
Cooling fan motor (W)	18	18	25	25
Features				
Cooking functions	7	3	7	1
Touch control digital programmer	-	-	-	-
Digital timer with start/stop programmer	•	-	•	•
Analogic timer with start/stop programmer	-	-	-	-
Analogic timer with stop programmer	-	-	-	-
Mechanical timer with stop programmer	-	•	-	-
Pop-up control knobs	-	-	-	-
Express preheating	-	-	-	-
Cooking levels	4	4	3	4
Telescopic tray guides	1	-	1	-
Chromed tray guides	•	•	-	S/steel
Mix Chamber System	-	-	-	-
Fume scape outlet	Vault	Vault	Vault	Vault
Drop-down grill	-	-	-	-
Safety systems				
Door opening security disconnection	-	-	•	-
Children safety block	-	-	•	•
Anti-tip tray system	•	-	•	-
Safety thermostat	•	•	•	-
Glazed door	2	2	4	2
Cleaning system				
Self-cleaning panels	-	-	-	-
Crystal clean enamel	Trays/cavity	Trays/cavity	-	-
Pyrolytic cleaning	-	-	•	-
Fingerprint proof stainless steel	•	•	•	•
Accessories				
Baking tray	-	-	1	2 (S/steel)
Deep tray (50 mm)	1	1	-	-
Roasting tray	-	-	-	-
Chromed cooking grid	1	1	1	-
Turnspit	-	-	-	-
Tray handle	-	-	-	-
Energy efficiency				
Energy label	A	A	A	-




HK 700



HK 500



HK 760 P




HK 930 S


* Voltage and frequency could vary according to the markets.




Model	HE 735	HE 735 E	HE 635	HE 635 E HE 635 ES
Page	36	36	36	36
Overall measurements (mm)				
Height/Width/Depth	595/595/562	595/595/562	595/595/562	595/595/562
Inner measurements (mm)				
Height/Width/Depth	319/413/397	319/413/397	319/413/397	319/413/397
Capacity litres	56	56	56	56
Electrical connection				
Voltage 220-240 V (*)	•	•	•	•
Frequency 50/60 Hz (*)	•	•	•	•
Maximum connection rating (W)	2693	2693	2693	2693
Power consumption				
Bottom heat (W)	1150	1150	1150	1150
Grill/Maxi Grill (W)	1500/2600	1500/2600	1500/2600	1500/2600
Traditional (W)	2250	2250	2250	2250
Turbo (W)	2000	2000	-	-
Multifunction motor (W)	30	30	30	30
Turnspit motor (W)	-	-	-	-
Interior light (W)	25	25	25	25
Cooling fan motor (W)	18	18	18	18
Features				
Cooking functions	9	9	8	8
Touch control digital programmer	-	-	-	-
Digital timer with start/stop programmer	•	•	•	•
Analogic timer with start/stop programmer	-	-	-	-
Analogic timer with stop programmer	-	-	-	-
Mechanical timer with stop programmer	-	-	-	-
Pop-up control knobs	•	•	-	-
Express preheating	-	-	-	-
Cooking levels	5	5	5	5
Telescopic tray guides	1	1	-	-
Chromed tray guides	•	•	•	•
Mix Chamber System	•	•	-	-
Fume scape outlet	Vault	Vault	Vault	Vault
Drop-down grill	•	•	-	-
Safety systems				
Door opening security disconnection	-	-	-	-
Children safety block	-	-	-	-
Anti-tip tray system	•	•	•	•
Safety thermostat	•	•	•	•
Glazed door	2	2	2	2
Cleaning system				
Self-cleaning panels	-	-	-	-
Crystal clean enamel	Trays/cavity	Trays/cavity	Trays/cavity	Trays/cavity
Pyrolytic cleaning	-	-	-	-
Fingerprint proof stainless steel	•	•	•	•
Accessories				
Baking tray	1	1	-	-
Deep tray (50 mm)	1	1	1	1
Roasting tray	-	-	-	-
Chromed cooking grid	1	1	1	1
Turnspit	-	-	-	-
Tray handle	-	-	-	-
Energy efficiency				
Energy label	A	A	A	A




HE 735



HE 735 E




HE 635




HE 635 E - HE 635 ES

* Voltage and frequency could vary according to the markets.


Model	HE 615	HE 615 ES	HE 545	HE 535
Page	37	37	37	38
Overall measurements (mm)				
Height/Width/Depth	595/595/562	595/595/562	595/595/562	595/595/562
Inner measurements (mm)				
Height/Width/Depth	319/413/397	319/413/397	320/413/402	320/413/402
Capacity litres	56	56	56	56
Electrical connection				
Voltage 220-240 V (*)	•	•	•	•
Frequency 50/60 Hz (*)	•	•	•	•
Maximum connection rating (W)	2623	2623	2593	2593
Power consumption				
Bottom heat (W)	1150	1150	1150	1150
Grill/Maxi Grill (W)	1400/-	1400/-	1400/-	1400/-
Traditional (W)	2550	2550	2550	2550
Turbo (W)	-	-	-	-
Multifunction motor (W)	30	30	-	-
Turnspit motor (W)	-	-	4	-
Interior light (W)	25	25	25	25
Cooling fan motor (W)	18	18	18	18
Features				
Cooking functions	5	5	3	3
Touch control digital programmer	-	-	-	-
Digital timer with start/stop programmer	-	-	-	-
Analogic timer with start/stop programmer	-	-	-	-
Analogic timer with stop programmer	-	-	-	-
Mechanical timer with stop programmer	•	•	•	•
Pop-up control knobs	-	-	-	-
Express preheating	-	-	-	-
Cooking levels	5	5	5	5
Telescopic tray guides	-	-	-	-
Chromed tray guides	•	•	•	•
Mix Chamber System	-	-	-	-
Fume scape outlet	Vault	Vault	Vault	Vault
Drop-down grill	-	-	-	-
Safety systems				
Door opening security disconnection	-	-	-	-
Children safety block	-	-	-	-
Anti-tip tray system	•	•	•	•
Safety thermostat	•	•	•	•
Glazed door	2	2	2	2
Cleaning system				
Self-cleaning panels	-	-	-	-
Crystal clean enamel	Trays/cavity	Trays/cavity	Trays/cavity	Trays/cavity
Pyrolytic cleaning	-	-	-	-
Fingerprint proof stainless steel	•	•	•	•
Accessories				
Baking tray	-	-	-	-
Deep tray (50 mm)	1	1	1	1
Roasting tray	-	-	-	-
Chromed cooking grid	1	1	1	1
Turnspit	-	-	1	-
Tray handle	-	-	-	-
Energy efficiency				
Energy label	A	A	A	A




HE 615



HE 615 ES



HE 545




HE 535


* Voltage and frequency could vary according to the markets.




Model	HE 535 ES	HI 435	HE 720 Colour	HE 720 E Colour
Page	38	38	39	39
Overall measurements (mm)				
Height/Width/Depth	595/595/562	595/595/507	595/595/562	595/595/562
Inner measurements (mm)				
Height/Width/Depth	320/413/402	319/450/397	319/413/397	319/413/397
Capacity litres	56	56	56	56
Electrical connection				
Voltage 220-240 V (*)	•	•	•	•
Frequency 50/60 Hz (*)	•	•	•	•
Maximum connection rating (W)	2593	2565	2693	2693
Power consumption				
Bottom heat (W)	1150	1150	1150	1150
Grill/Maxi Grill (W)	1400/-	1400/-	1500/2600	1500/2600
Traditional (W)	2550	2550	2250	2250
Turbo (W)	-	-	2000	2000
Multifunction motor (W)	-	-	30	30
Turnspit motor (W)	-	-	-	-
Interior light (W)	25	15	25	25
Cooling fan motor (W)	18	-	18	18
Features				
Cooking functions	3	3	9	9
Touch control digital programmer	-	-	-	-
Digital timer with start/stop programmer	-	-	•	•
Analogic timer with start/stop programmer	-	-	-	-
Analogic timer with stop programmer	-	-	-	-
Mechanical timer with stop programmer	•	•	-	-
Pop-up control knobs	-	-	-	-
Express preheating	-	-	-	-
Cooking levels	5	5	5	5
Telescopic tray guides	-	-	1	1
Chromed tray guides	•	-	•	•
Mix Chamber System	-	-	•	•
Fume scape outlet	Vault	Handle	Vault	Vault
Drop-down grill	-	-	•	•
Safety systems				
Door opening security disconnection	-	-	-	-
Children safety block	-	-	-	-
Anti-tip tray system	•	-	•	•
Safety thermostat	•	•	•	•
Glazed door	2	2	2	2
Cleaning system				
Self-cleaning panels	-	-	-	-
Crystal clean enamel	Trays/cavity	Trays/cavity	Trays/cavity	Trays/cavity
Pyrolytic cleaning	-	-	-	-
Fingerprint proof stainless steel	•	-	-	-
Accessories				
Baking tray	-	1	1	1
Deep tray (50 mm)	1	-	1	1
Roasting tray	-	-	-	-
Chromed cooking grid	1	-	1	1
Turnspit	-	-	-	-
Tray handle	-	-	-	-
Energy efficiency				
Energy label	A	A	A	A




HE 535 ES







HI 435




HE 720 Colour




HE 720 E Colour


Model	   			
	HE 610 Colour	HE 610 ES Colour	HE 510 Colour	HE 510 ES Colour
Page	39	40	40	40
Overall measurements (mm)				
Height/Width/Depth	595/595/562	595/595/562	595/595/562	595/595/562
Inner measurements (mm)				
Height/Width/Depth	319/413/397	319/413/397	319/413/402	319/413/402
Capacity litres	56	56	56	56
Electrical connection				
Voltage 220-240 V (*)	•	•	•	•
Frequency 50/60 Hz (*)	•	•	•	•
Maximum connection rating (W)	2623	2623	2593	2593
Power consumption				
Bottom heat (W)	1150	1150	1150	1150
Grill/Maxi Grill (W)	1400/-	1400/-	1400/-	1400/-
Traditional (W)	2550	2550	2550	2550
Turbo (W)	-	-	-	-
Multifunction motor (W)	30	30	-	-
Turnspit motor (W)	-	-	-	-
Interior light (W)	25	25	25	25
Cooling fan motor (W)	18	18	18	18
Features				
Cooking functions	5	5	3	3
Touch control digital programmer	-	-	-	-
Digital timer with start/stop programmer	-	-	-	-
Analogic timer with start/stop programmer	-	-	-	-
Analogic timer with stop programmer	-	-	-	-
Mechanical timer with stop programmer	•	•	•	•
Pop-up control knobs	-	-	-	-
Express preheating	-	-	-	-
Cooking levels	5	5	5	5
Telescopic tray guides	-	-	-	-
Chromed tray guides	•	•	•	•
Mix Chamber System	-	-	-	-
Fume scape outlet	Vault	Vault	Vault	Vault
Drop-down grill	-	-	-	-
Safety systems				
Door opening security disconnection	-	-	-	-
Children safety block	-	-	-	-
Anti-tip tray system	•	•	•	•
Safety thermostat	•	•	•	•
Glazed door	2	2	2	2
Cleaning system				
Self-cleaning panels	-	-	-	-
Crystal clean enamel	Trays/cavity	Trays/cavity	Trays/cavity	Trays/cavity
Pyrolytic cleaning	-	-	-	-
Fingerprint proof stainless steel	-	-	-	-
Accessories				
Baking tray	-	-	-	-
Deep tray (50 mm)	1	1	1	1
Roasting tray	-	-	-	-
Chromed cooking grid	1	1	1	1
Turnspit	-	-	-	-
Tray handle	-	-	-	-
Energy efficiency				
Energy label	A	A	A	A




HE 610 Colour



HE 610 ES Colour



HE 510 Colour




HE 510 ES Colour


* Voltage and frequency could vary according to the markets.




Model	HC 490	HP 725.1	FG 824	FG 730
Page	40	41	41	41
Overall measurements (mm)				
Height/Width/Depth	595/595/512	591/597/547	585/794/570	595/596/524
Inner measurements (mm)				
Height/Width/Depth	319/450/397	340/440/398	317/681/361	320/440/380
Capacity litres	56	59	105	59
Electrical connection				
Voltage 220-240 V (*)	•	•	110	•
Frequency 50/60 Hz (*)	•	•	•	•
Maximum connection rating (W)	2575	3100	2000	51
Power consumption				
Bottom heat (W)	1150	1500	4000	-
Grill/Maxi Grill (W)	1400/-	2550	2560	2400
Traditional (W)	2250	2400	-	-
Turbo (W)	-	2400	-	-
Multifunction motor (W)	-	2150	-	-
Turnspit motor (W)	-	-	4	4
Interior light (W)	25	25	25	25
Cooling fan motor (W)	-	25	27	27
Features				
Cooking functions	3	7	3	3
Touch control digital programmer	-	-	-	-
Digital timer with start/stop programmer	-	•	-	-
Analogic timer with start/stop programmer	-	-	-	-
Analogic timer with stop programmer	-	-	-	-
Mechanical timer with stop programmer	•	-	•	•
Pop-up control knobs	-	-	-	-
Express preheating	-	-	-	-
Cooking levels	5	3	3	3
Telescopic tray guides	-	-	-	-
Chromed tray guides	-	-	•	-
Mix Chamber System	-	-	-	-
Fume scape outlet	Handle	Vault	Vault	Vault
Drop-down grill	-	-	-	-
Safety systems				
Door opening security disconnection	-	With pyrolysis	-	-
Children safety block	-	-	-	-
Anti-tip tray system	-	•	•	•
Safety thermostat	•	•	•	•
Glazed door	2	3	2	2
Cleaning system				
Self-cleaning panels	-	-	•	•
Crystal clean enamel	Trays/cavity	Trays/cavity	-	-
Pyrolytic cleaning	-	•	-	-
Fingerprint proof stainless steel	-	•	•	•
Accessories				
Baking tray	-	1	1	1
Deep tray (50 mm)	1	-	-	-
Roasting tray	-	-	-	-
Chromed cooking grid	1	1	1	1
Turnspit	-	-	1	-
Tray handle	-	-	-	-
Energy efficiency				
Energy label	A	A	-	-




HC 490



HP 725.1




FG 824




FG 730




Model	FG 724.2	HR 800	HR 700
Page	41	45	45
Overall measurements (mm)			
Height/Width/Depth	595/596/524	595/595/562	595/595/562
Inner measurements (mm)			
Height/Width/Depth	320/440/380	319/450/397	319/450/397
Capacity litres	56	56	56
Electrical connection			
Voltage 220-240 V (*)	•	•	•
Frequency 50/60 Hz (*)	•	•	•
Maximum connection rating (W)	1950	2693	2693
Power consumption			
Bottom heat (W)	2400	1150	1150
Grill/Maxi Grill (W)	1400	1500/2600	1500/2600
Traditional (W)	-	2250	2250
Turbo (W)	-	2000	-
Multifunction motor (W)	-	30	30
Turnspit motor (W)	4	-	-
Interior light (W)	25	25	25
Cooling fan motor (W)	27	18	18
Features			
Cooking functions	3	9	7
Touch control digital programmer	-	-	-
Digital timer with start/stop programmer	-	-	-
Analogic timer with start/stop programmer	-	-	-
Analogic timer with stop programmer	-	•	•
Mechanical timer with stop programmer	•	-	-
Pop-up control knobs	-	-	-
Express preheating	-	-	-
Cooking levels	-	5	5
Telescopic tray guides	-	2 (optional)	-
Chromed tray guides	-	•	•
Mix Chamber System	-	•	•
Fume scape outlet	Vault	Vault	Vault
Drop-down grill	•	•	-
Safety systems			
Door opening security disconnection	-	•	-
Children safety block	-	-	-
Anti-tip tray system	•	•	-
Safety thermostat	•	•	•
Glazed door	2	2	2
Cleaning system			
Self-cleaning panels	•	-	-
Crystal clean enamel	-	Trays/cavity	Trays/cavity
Pyrolytic cleaning	-	-	-
Fingerprint proof stainless steel	•	-	-
Accessories			
Baking tray	1	1	-
Deep tray (50 mm)	-	1	1
Roasting tray	-	-	-
Chromed cooking grid	1	1	1
Turnspit	1	-	-
Tray handle	-	-	-
Energy efficiency			
Energy label	-	A	A



FG 724.2




HR 800




HR 700




Model	MCX 45 BIT	MWX 45 BIS	MC 32 BIS	MC 32 BIH
Page	15	15	31	31
Overall measurements (mm)				
Height/Width/Depth	455/595/542	455/595/472	455/595/542	455/595/542
Inner measurements (mm)				
Height/Width/Depth	210/420/390	210/420/390	210/420/390	210/420/390
Net capacity litres	38/32	38/32	38/32	38/32
Electrical connection				
Power supply 220-240 V (*)	•	•	•	•
Frequency 50 Hz (*)	•	•	•	•
Mwo power (W)	1000	1000	1000	1000
Grill power (W)	1500	1500	1500	1500
Max. nominal power (W)	3400	3300	3400	3400
Features				
Installation system	Full built-in	Full built-in	Full built-in	Full built-in
Stainless steel inner cavity	•	•	•	•
Microwave plus grill	•	•	•	•
Touch control panel	•	• (Pop-up knobs)	-	-
Electronic control panel	-	-	•	•
Electromechanical control panel	-	-	-	-
Integrated rotary turntable	32 cm	32 cm	32 cm	32 cm
Turntable stop function	•	-	-	-
30 seconds quick start	•	-	•	-
1 minute quick start	-	-	-	-
Power levels	6	5	6	5
Defrosting by time	•	•	•	•
Defrosting by weight	•	-	•	•
Frame	-	-	-	-
Cooking functions	6 (Turbo)	3	6 (Turbo)	6 (Turbo)
Cooking memories	-	-	-	-
Auto cook functions	3	-	3	-
Fingerprint proof stainless steel	•	•	•	•
Minute minder (minutes)	90	90	90	90
Safety systems				
Children safety block	•	•	•	•
Integrated quartz grill	-	-	-	-
Drop-down grill	•	•	•	•
Security thermostat	•	•	•	•
Forced air ventilation	•	•	•	•
Accessories				
Grid	1	2	1	1
Glass tray	•	-	•	•
Browning plate	•	•	•	•




MCX 45 BIT



MWX 45 BIS




MC 32 BIS




MC 32 BIH




Model	MW 32 BIT	MW 32 BIS	TMW 22 BIT	TMW 20.2 BIT
Page	31	31	32	32
Overall measurements (mm)				
Height/Width/Depth	455/595/472	455/595/472	390/595/340	390/595/325
Inner measurements (mm)				
Height/Width/Depth	210/420/390	210/420/390	210/305/305	210/305/280
Net capacity litres	38/32	38/32	-/20	-/18
Electrical connection				
Power supply 220-240 V (*)	•	•	230	230
Frequency 50 Hz (*)	•	•	•	•
Mwo power (W)	1000	1000	800	800
Grill power (W)	1500	1500	1000	1000
Max. nominal power (W)	3300	3300	1200	1200
Features				
Installation system	Full built-in	Full built-in	Built-in	Built-in
Stainless steel inner cavity	•	•	•	•
Microwave plus grill	•	•	•	•
Touch control panel	•	-	•	•
Electronic control panel	-	•	-	-
Electromechanical control panel	-	-	-	-
Integrated rotary turntable	32 cm	32 cm	24 cm	24 cm
Turntable stop function	-	-	-	-
30 seconds quick start	•	•	-	-
1 minute quick start	-	-	•	•
Power levels	6	6	5	5
Defrosting by time	•	•	•	•
Defrosting by weight	•	•	•	•
Frame	-	-	Included	Included
Cooking functions	3	3	3	3
Cooking memories	-	-	-	-
Auto cook functions	3	3	3	3
Fingerprint proof stainless steel	•	•	•	•
Minute minder (minutes)	90	90	90	90
Safety systems				
Children safety block	•	•	•	•
Integrated quartz grill	-	-	•	•
Drop-down grill	•	•	-	-
Security thermostat	•	•	•	•
Forced air ventilation	•	•	•	•
Accessories				
Grid	2	2	1	1
Glass tray	-	-	-	-
Browning plate	•	•	-	-




MW 32 BIT



MW 32 BIS



TMW 22 BIT




TMW 20.2 BIT


* Voltage and frequency could vary according to the markets.




Model	TMW 20.2 BIS	TMW 18 BHG TMW 18 BIH	TMW 20.2 BI	TMW 18 BIG TMW 18 BI
Page	32	43	43	43
Overall measurements (mm)				
Height/Width/Depth	390/595/325	390/595/325	390/595/325	390/595/325
Inner measurements (mm)				
Height/Width/Depth	210/305/280	210/305/280	210/305/280	210/305/280
Net capacity litres	18	18	18	18
Electrical connection				
Power supply 220-240 V (*)	•	•	•	•
Frequency 50 Hz (*)	•	•	•	•
Mwo power (W)	800	800	800	800
Grill power (W)	1000	1000/-	1000	1000/-
Max. nominal power (W)	1200	1200	2200	1200
Features				
Installation system	Built-in	Built-in	Built-in	Built-in
Stainless steel inner cavity	•	•	•	•
Microwave plus grill	•	•/-	•	•/-
Touch control panel	-	-	-	-
Electronic control panel	•	•	-	-
Electromechanical control panel	-	-	•	•
Integrated rotary turntable	24 cm	24 cm	24 cm	24 cm
Turntable stop function	-	-	-	-
30 seconds quick start	-	•	-	-
1 minute quick start	•	-	-	-
Power levels	5	5	5	5
Defrosting by time	•	•	•	•
Defrosting by weight	•	•	-	-
Frame	Included	Included	Included	Included
Cooking functions	3	3/1	3	3/1
Cooking memories	-	3/1	-	-
Auto cook functions	3	-	-	-
Fingerprint proof stainless steel	•	•	•	•
Minute minder (minutes)	90	90	60	60
Safety systems				
Children safety block	•	•	-	-
Integrated quartz grill	•	•/-	•	•/-
Drop-down grill	-	-	-	-
Security thermostat	•	•	•	•
Forced air ventilation	•	•/-	•	•/-
Accessories				
Grid	1	1/-	1	1/-
Glass tray	-	-	-	-
Browning plate	-	-	-	-




TMW 20.2 BIS



TMW 18 BHG - TMW 18 BIH



TMW 20.2 BI



TMW 18 BIG - TMW 18 BI